

■PRODUCT DRAWING







■ SPECIFICATIONS

Power source	Supplied from Master station				
Type of communication	Open voice hands-free communication				
Camera	1/4 inch color CMOS				
Minimum illumination	5 Lux				
Camera angle	Wide: 170° (approx.) (Horizontal)				
Ambient temperature	-10~ 60°C (+14° F − +140° F)				
Mounting	Flush mount				
Electrical box	Not used (Mounts on built-in back box.)				
Housing	Front panel: Stainless steel.				
Weight	570g (approx.) (1.26lbs), back box 450g (approx.) (1lbs)				
Unit color	Stainless steel, vertical hair-line processed.				
IP rating	IP54				
IK rating	IK08				
DESCRIPTION (Color,		FIG. NAME		UNIT	DATE
VIDEO DOOR STATION Vanda	-resistant)	PRODUCT/SPECIFICATIONS		mm	6 October, 2014
MODEL NO.		FIG. NO.	PAGE	REVISION	AIBUANE
JP-DVF	59745-1-3	1/3	1	AIPHONE	

■WIRING DIAGRAM



■ IMAGE VIEW AREA & MOUNTING HEIGHT



- Objects appear smaller due to greater distortion in the surrounding sections compared to the central section, but a wider area is displayed.
- Image view area depends on the camera zoom position.


●Wide

Vertical


Mounting height 1,500mm(5')

2, 200mm (7'2") (approx.) 1, 300mm (4'3") (approx.) 900mm (2'12") (approx.)

Mounting height 1,300mm (4'3")





Horizontal





An area over a range of approx. 170° in a 500mm(20") radius from the camera displays. (The display range is a rough estimation and may change due to the installation environment.)


Zoom(Mounting height: 1,500mm(5'))
















]	John (3 1) (approx.)				j
DESCRIPTION	(0	Color,	FIG. NAME			UNIT	DATE	
VIDEO DOOR S	TATION V	/andal-resistant)	WIRING	DIAGRAM/I	MAGE	mm	6 October,	2014
MODEL NO.			FIG. NO.		PAGE	REVISION		- NI
JP-DVF			59745-	2–3	2/3	1	AIPH	JN

■ RESTRICTIONS


- JP-DVF door station is exclusively used with JP Series.
- Avoid to install JP-DVF in the following locations;



At the Entrance where background is sky in upper floors of Condominiums, etc.



The background of the standing caller's is white wall.



Where the standing location is strongly sunlit.

■FUNCTIONS

• Initiating a call to and entering communication with Master station

DESCRIPTION	(Color,	FIG. NAME		UNIT	DATE
VIDEO DOOR STATION	Vandal-resistant)	RESTRICTIONS/FUN	ICTIONS	mm	6 October, 2014
MODEL NO.		FIG. NO.	PAGE	REVISION	AIBHANE
JP-DVF		59745-3-3	3/3	1	AIPHONE