202 Series Artefact Round Corner Plate Furniture







The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.





Product Details

Materials

Dimensions	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Standard Finishes	Natural Anodised Aluminium (NT) Satin Stainless Steel (SS)
Finishes Non Standard	316 Marine Grade (MG) Polished Brass (PB) Polished Stainless Steel (PS) Powdercoat (PC)*
Handing	All plates are handed with the exception of plain plates and pull handles.

 $\textbf{Note:} \ When using flush pulls back to back the minimum door thickness is 40 mm.$

Aluminium, brass and stainless steel

Standards and Compliance



successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Artefact 202 Series has been

D8

have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

Artefact 202 Series lever sets



Anti-Corrosion




Artefact 202 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

^{*} Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.


202 Series Levers and Functions

Levers and Knob to Suit




For lever images and dimensions, see page 15.

Pull Handle to Suit




Plates



^{*3} Replace NN with NS when ordering with 3770 Series

^{*4} Recommended for sliding doors only



^{*1} Stainless Steel Only

200/202 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.







Lever/Knob/ Pull Handle
96



Finish
SS

200	U I
DI . T	
Plate Type	
Exterior Plate (16 – Square Corners	
Interior Plate (16 – Square Corners	
Exterior Plate (16 – Radius Corners	52 x 162) 202

Interior Plate (162 x 162)
– Radius Corners

riate runction	
Plain Plate	07
Pull Handle Only	24
Plate Function - Hande	d
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Cylinder & Fixed Lever	08
Fixed Lever Only	09
Dual Cylinder	10
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23
Pull Handle & Cylinder	25
Pull Handle & Emergency Turn	26
Pull Handle & Turnknob	27
Pull Handle & Privacy Indicating Emergency Turn	28
Pull Handle & Dual Cylinder	30
Flush Pull Only	31
Flush Pull & Cylinder	32
Flush Pull & Emergency Turn	33
Flush Pull & Turnknob	34

Flush Pull & Privacy Indicator Emergency Turn 35
Flush Pull & Dual Cylinder 37
Disabled Turnknob & Lever 39
Pull Handle & Disabled Turnknob 42

A – G Outlined Infill R – X Full Infill		
Male symbol	Α	R
Male text	В	S
Female symbol	С	Т
Female text	D	U
Disabled symbol	Е	V
Push text	F	W
Pull text	G	Χ
Unisex symbol	Н	Υ
No option	١	1

is the standard.		
Cylinder Type		
Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	Α	
Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	В	
No Cylinder Function – Selector	S*	
No Cylinder Function – Synergy	N	
*Only applies to 13, 14, 16 and		

AS1428 Lever Ty	.1 Complia /pes	nt
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non Compliant Lever/Knob Types			
101	104	106	
123	178	97	
20			
Handed Levers			
41	122	153	

Pull Handles		
P1	P1*1	75*2
Pull Handles - Horizontal		
HP1	HP1*1	H75*2
Handles are brass unless indicated otherwise *1 = Stainless Steel		

** Lever 65 and 85 not available in PS or PB		
Handing		
Left Handed	L	

*2 = Aluminium *3 = 316 Marine Grade

Right Handed

Finish			
Stainless Steel Finishes			
316 Marine Grade	MG		
Powdercoat	PC		
Polished Stainless Steel	PS		
Satin Stainless Steel	SS		
Aluminium Finishes			
Natural Anodised	NT*		
Brass Finishes			
Polished Brass	PB		

^{*} Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

