Plate Door Handles





access hardware | BUSINESS | REWARDS



We take the worry out of protecting what's valuable to you. Lockwood: no worries®





www.lockweb.com.au



Contents











1800 Series

Square End Brass Plate Furniture

page 4

2800 Series

Round End Brass Plate Furniture

page 6

4800 Series

Narrow Plate Brass Door Furniture

page 9

5800 Series

Narrow Plate Brass Door Furniture

page 12

Brass Levers

page 18











200 Series Artefact

Square Corner Plate Furniture

page 27

202 Series Artefact

Radius Corner Plate Furniture

page 29

212 Series Artefact

Oval Corner Plate Furniture

page 32

224 Series Artefact

Rectangular Plate Furniture

page 34

Detention Series

Square and Rectangular Furniture

page 37









____56

Lockwood Door

Furniture Handing Convention _____57

Palladium Series

Door Handles

page 47

Diecast Levers

page 51

page 58

Finishes

1800 Series Square End Brass Plate Furniture


Product Details



The 1800 Series features a classic rectangular plate with bevelled edges. Suits corporate, commercial and public spaces with high use requirements.

Application

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.



110ddct Details		
Door Thickness	External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.	
Dimensions	166 x 48 x 12mm	
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.	
Handing	Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.	
Decorative Finishes	Standard Finish: Satin Chrome Brushed (SC) Non Standard Finishes: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)* Special Finishes: Architectural Bronze (AZ) Architectural Bronze Unlaqured (AU) Antique Copper (AC) Oil Rubbed Bronze (ORB) Polished Brass Unlaqured (BU) Satin Brass (SB)	
Turn Functions Adjustable Tailbar	Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.	

^{*} Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance



1800 series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

1800 series door furniture has been successfully tested with a Selector
3772 mortice lock and Abloy Protec²
CY504 cylinder to conform with Level SL8 under AS4145.2-2008, Locksets and hardware for doors and windows.

1800 series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



1800 series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows

1800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.




1800 series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.



1800 Series Levers and Functions


Plates and Functions



Interior Plate Cylinder & Lever Interior Plate Cylinder, Lever & LED

Interior Plate Fixed Lever Interior Plate Cylinder, Fixed Lever & LED

Interior Plate Lever Only Interior Plate Turnknob Only Interior Plate Plain Plate



Note: Refer to page 18 for images of levers and knob styles available.

Interior Plate Disabled Turnknob & Lever

Interior Plate Lever & LED

 $^{^{\}ast}$ Refer to ordering procedure for part number when ordering with 3770 Series.


2800 Series Round End Brass Plate Furniture



The 2800 Series features a classic oval shapped plate. Suits corporate, commercial and public spaces with high use requirements.

Application

Designed for use with Lockwood Selector and Synergy Mortice Locks and Latches.



Product Details

Door Thickness	External plates are supplied with fixing screws to suit door thickness between 32 and 45mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.
Dimensions	166 x 48 x 12mm
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Handing	Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.
	Standard Finish: Satin Chrome Brushed (SC) Non Standard Finishes: Chrome Plate (CP)
Decorative Finishes	Polished Brass (PB) Polyester Powdercoat (PC)* Special Finishes:

Architectural Bronze (AZ)

Oil Rubbed Bronze (ORB)

Polished Brass Unlaqured (BU)

Antique Copper (AC)

Satin Brass (SB)

Architectural Bronze Unlaqured (AU)

Turn Functions Adjustable Tailbar Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

* Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.

Standards and Compliance



2800 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

2800 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



2800 Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

2800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.





2800 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.




2800 Series Levers and Functions

Plates and Functions





 $^{^{\}ast}$ Refer to ordering procedure for part number when ordering with 3770 Series.



Note: Refer to page 18 for images of levers and knob styles available.

1800 and 2800 Series Ordering Procedure

For example:

Sample part number 1801/41LCP is made up of several selections. Choose your product by selecting an option from each section.

Plate Type
18

Plate Function Cylinder Only

Cylinder & Lever

Turnknob & Lever

Lever Only

Plain Plate

Turnknob Only

Two Cylinders

Privacy Indicating

Privacy Indicating

Privacy Indicating Turnknob Only

Privacy Indicating

Turnknob & Lever

Cylinder, Fixed

Cylinder & LED

Lever & LED Lever & LED

Emergency Turn Only

Emergency Turn & Lever

Privacy Indicating Emergency Turn & Lower Cylinder Cylinder, Lever & LED

Cylinder & Fixed lever Fixed Lever Only

Emergency Turn & Lever

Plate Function	
01	

00

01

03

04

05

06

07 08

09

10

13

14

15

16

20

21

22

23





Plate Type	
Exterior Square End	18
Interior Square End	19
Exterior Round End	28
Interior Round End	29

Plate Function - Handed	
Disabled Accessible	
Turnknob & Lever	39
Privacy Indicating	
Disabled Turnknob	
& Lever	41

Plate Function - Handed	
39	
41	

AS1428.1 Compliant Lever Types		
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Non Compliant Lever/knob Types		
101	104	106
123	178	97
20		
Hande	d Levers	
41	122	153

Refer to page 18 for detailed images of the levers and knobs that suit this range.

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Antique Copper	AC
Architectural Bronze	
Unlaqured	AU
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass	
Unlacquered	BU
Polyester Powdercoat	PC*
Satin Brass	SB
Satin Chrome	SC

Refer to the end of this catalogue for detailed images of all decorative finishes from this section.



4800 Series Narrow Plate Brass Door Furniture




A slimline, rectangular brass plate that adds style to your choice of lever.

Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

Note: Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section



Product Details

Door Thickness External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section. 185 x 26 x 11.5mm

Plates are designed to fit back to back. If outside plate

Fixing is specified with concealed fixing, then the inside plate

must be visible fixed.

Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.

Standard Finish:

Satin Chrome Brushed (SC)

Non Standard Finishes:

Chrome Plate (CP)
Polished Brass (PB)
Polyester Powdercoat (PC)*

Decorative Finishes

Handing

Special Finishes:
Aged Brass (AG)
Architectural Bronze (AZ)
Architectural Bronze Unlaqured (AU)
Antique Copper (AC)
Oil Rubbed Bronze (ORB)
Polished Brass Unlaqured (BU)
Satin Brass (SB)
Satin Brass Unlacquered (SBU)

Turn Functions Adjustable Tailbar

Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a particular door thickness.

Standards and Compliance

4

tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

4600 Series has been successfully

4800 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



4800 Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

4800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



4800 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.



^{*} Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.


4800 Series Plate Functions


Plates and Functions

(See page 17 and 18 for detailed ordering procedure table and part numbers)

To suit 3780 Series Mortice Locks

4800/4900







Note: Refer to page 18 for images of levers and knob styles available.



4800 Series Plate Functions



To suit 3540 Series Motice Locks



Note: Refer to page 18 for images of levers and knob styles available.

5800 Series Narrow Plate Brass Door Furniture




Functional, yet elegant, the soft lines of this round ended brass plate complement a wide range of levers.

Application

Designed for use with Lockwood Selector and Synergy Series short and standard backset mortice locks.

Additionally there are functions that are designed to work with Lockwood 3540 Series short backset mortice deadbolts.

Note: Certain lever designs are not compatible on short backset assemblies due to interference with the door stop. Refer to the backset suitability page at the end of this section.



Dimensions

Tailbar

Door Thickness	External plates are supplied with fixing screws to suit door thickness between 32 and 50mm. For thicker doors, please refer to the brass furniture thicker doors page at the end of this catalogue section.
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Handing	Plates are not handed; levers may be reversed by removing the stop screw, except for handed levers and functions as shown in the ordering procedure at the end of this section.
Decorative	Standard Finish: Satin Chrome Brushed (SC) Non Standard Finishes: Chrome Plate (CP) Polished Brass (PB) Polyester Powdercoat (PC)* Special Finishes:
Finishes	Aged Brass (AG) Architectural Bronze (AZ) Architectural Bronze Unlaqured (AU) Antique Copper (AC) Oil Rubbed Bronze (ORB) Polished Brass Unlaqured (BU) Satin Brass (SB) Satin Brass Unlacquered (SBU)
Turn Functions Adjustable	Turn functions feature a unique mechanism that automatically adjusts the length of the tail bar to suit a

185 x 26 x 11.5mm

particular door thickness.



5600 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

5800 Series lever sets have been



5800 Series in brushed satin chrome finish has been successfully tested to conform with Level C10 (1000 hours) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

5800 Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.



5800 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.



^{*} Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.


5800 Series Plate Functions


Plates and Functions

(See Page 17 and 18 for Detailed Ordering Procedure Table and Part Numbers)

To suit 3780 Series Mortice Locks


5800/5900






Note: Refer to page 18 for images of levers and knob styles available.

5800 Series Plate Functions



To suit 3540 Series Mortice Locks



Note: Refer to page 18 for images of levers and knob styles available.



4800 & 5800 Series Ordering Procedure

Example:

Sample part number 4801/53LCP is made up of several selections. Choose your product by selecting an option from each section.

Ordering procedure for door furniture to be used with Selector Series Mortice Locks 3770 and 3780 and for use with Synergy Series Mortice Locks 3570.

Plate Type	
Plate Type	
42	



Plate Function

Two Cylinders



10



Plate Type

Standard backset mortice locks 3570 Series (Synergy) and 3770 Series (Selector)

46
47
56
57

Short backset mortice locks 3780 Series (Selector)

Exterior Square End	48
Interior Square End	49
Exterior Round End	58
Interior Round End	59

Cylinder Only	00
Cylinder & Lever	01
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07

Plate Functions - 3570EL Series Synergy Electric Mortice Locks only

Cylinder, Lever & LED	20
Lever & LED	22
Cylinder & LED	23
Disabled Accessible Turnknob & Lever	39

Plate Functions - 3780 Series Mortice Lock only

Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Privacy Indicating Turnkno & Lower Cylinder	b 19
Privacy Indicating Disabled Accessible Turnknob & Lever	41

Fixed Lever & Cyinder	08
Fixed Lever Only	09
Cylinder, Fixed Lever & LED	21

Plate Functions - 3780EL Series Selector Electric Mortice Locks only

Cylinder, Lever and Lens	11
Lever & Lens	12

AS1428.1 Compliant Lever Types		
102	111	112
115	116	118
124	131	132
133	142	144

124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
90		

Lever/Knob Types

101	104	106
123	178	97
20		

Hande	ed Levers	
41	122	153

Notes: Certain lever designs are not compatible on short backset assemblies. See page 17 for specific lever design suitability

Refer to page 18 for detailed images of the levers and knobs that suit this range.

Handing	
Right Handed	R
Left Handed	L
NB: Omit if non-handed	

Finish	
Aged Brass	AG
Architectural Bronze	AZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC*
Satin Brass	SB
Satin Chrome	SC
Satin Brass Unlacquered	SBU

* Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

4800 & 5800 Series Ordering Procedure

Ordering procedure for door furniture to be used with 3540 Series Mortice Locks



Platform Name Exterior Square End Interior Square End

Exterior Round End

Interior Round End

48	
49	

58

59




Plate Function	
Lever Only	80
Lever - Angled Up	45° 81

Lever T	ype
67	
AS1428 Levers	3.1 Compliant
70	77

Note: Certain lever designs are not compatible on short backset assemblies. See page 17 for specific lever design suitability details.

See page 18 for details on lever images and dimensions.

Finish	
Aged Brass	AG
Architectural Bronze	ΑZ
Architectural Bronze Unlacquered	AU
Antique Copper	AC
Chrome Plate	CP
Oil Rubbed Bronze	ORB
Polished Brass	PB
Polished Brass Unlacquered	BU
Polyester Powdercoat	PC
Satin Brass	SB
Satin Brass Unlacquered	SBU
Satin Chrome	SC

^{*} Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

4800 & 5800 Series Lever Suitability

Application

All narrow style door furniture will be closer to the door frame. Lever handles with 90 degree angles can cause the lever stem to hit the door frame and prevent the door from opening. The table below provides a guide to lever compatibility and each model of short backset lock from 3782 to 6782. Based on 12mm doorstop.

	3782	4782	5782	6782
Lever Number	3540			
	23mm	25.4	30mm	38mm
41	×	×	✓	✓
59	×	×	✓	✓
70	✓	✓	✓	✓
74	×	×	✓	✓
76	×	×	✓	✓
77	1	✓	✓	✓
90	×	×	✓	✓
97	1	✓	✓	✓
101	×	×	✓	✓
102	✓	✓	1	✓
104	×	✓	✓	✓
106	×	×	✓	✓
111	×	×	✓	✓
112	×	×	✓	✓
115	✓	✓	✓	✓
116	×	×	✓	✓
118	×	×	✓	✓
122	×	×	1	✓
122	×	×	✓	✓
123	×	×	✓	✓
124	×	×	✓	✓
131	×	×	✓	✓
132	×	×	✓	✓
133	×	×	1	✓
144	×	✓	✓	✓
145	×	×	1	✓
153	×	×	✓	✓
155	×	1	1	✓
166	×	×	1	✓
178	X	×	1	✓
180	X	✓	✓	1

BRASS CORE

For use on the following door furniture series:

• 1220 Series

• 2800 Series

• 1420 Series

4800 Series

• 1360 Series

• 5800 Series


• 1370 Series

Artefact Series

• 1800 Series

AS1428.1 Compliant Levers


Lever 102	
Length	134.3mm
Projection	57.5mm







Lever 111		
Length	130mm	
Projection	48.5mm	










Lever 112	
Length	130.5mm
Projection	48mm




17	1
	120 130.5






AS1428.1 Compliant Levers

Length 140.4mm 60mm Projection






Lever 116	
Length	140.5mm
Projection	47.6mm






Lever 118	
Length	128mm
Projection	58mm






Lever 124	
Length	130.5mm
Projection	59mm






AS1428.1 Compliant Levers

Lever 131 Length 134.5mm Projection 53mm






Lever 132	
Length	130mm
Projection	57.5mm






Lever 133		
Length	130mm	
Projection	53.5mm	






Lever 142	
Length	130.5mm
Projection	55mm






AS1428.1 Compliant Levers

128.8mm Length 57.5mm Projection






Lever 145	
Length	130mm
Projection	58.5mm






Lever 155	
Length	129.3mm
Projection	57.5mm





Lever 166	
Length	130mm
Projection	48mm





AS1428.1 Compliant Levers

Lever 47		
Length	120mm	
Projection	49.6mm	




109 120

22 (






Lever 59		
Length	121mm	
Projection	57.5mm	








Lever 70	
Length	121mm
Projection	53mm







Lever 74	
Length	120mm
Projection	53mm









AS1428.1 Compliant Levers

Lever 76		
Length	125mm	
Projection	48.5mm	






Lever 77	
Length	121mm
Projection	51mm





Lever 90	
Length	118.5mm
Projection	52mm








Non compliant lever/knob types

Lever 101 Length 130mm Projection 48.5mm







Lever 104	
Length	133.8mm
Projection	57.5mm






Lever 106	
Length	130mm
Projection	48mm








Lever 123	
Length	130.5mm
Projection	59mm








Non compliant lever/knob types


Lever 178	
Length	130mm
Projection	63.6mm





2.5	-	a
12		J .
	L	118.5
	-	130


Lever 97	
Length	120mm
Projection	50.5mm





Knob 20	
Diameter	50mm
Projection	73mm

Not compatible with 1220 Symphony internal rose.






Handed Levers

Lever 41		
Length	130mm	
Projection	61.5mm	


^{*} Lever is an asymmetrical design and therefore must be handed.





Lever 122	
Length	130.5mm
Projection	59mm


^{*} Lever is an asymmetrical design and therefore must be handed.





Lever 153	
Length	120mm
Projection	70.6mm

^{*} Lever is asymmetrically designed and therefore must be handed





200 Series Artefact Square Corner Plate Furniture







The 200 Series Door Furniture Plates measure 162X162mm, and feature square corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.





SS/Brass Aluminium

100								П	
85	O	П	ш	ran		ല	ta	ш	ß
							55	ш	

Dimensions	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Standard Finishes	Natural Anodised Aluminium (NT) Satin Stainless Steel (SS)
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Finishes Non Standard	316 Marine Grade (MG) Polished Brass (PB) Polished Stainless Steel (PS) Powdercoat (PC)*
Handing	All plates are handed with the exception of plain plates

Note: When using flush pulls back to back the minimum door thickness is 40mm.

Aluminium, brass and stainless steel

and pull handles.



successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Artefact 200 Series has been

Artefact 200 Series lever sets have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.



D8

Anti-Corrosion



Artefact 200 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.


Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

Materials

^{*} Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.


200 Series Levers and Functions

Levers and Knob to Suit




For lever images and dimensions, see page 15.

Pull Handle to Suit




Plates



 $^{^{\}rm *3}$ Replace NN with NS when ordering with 3770 Series

^{*4} Recommended for sliding doors only



^{*1} Stainless Steel Only

202 Series Artefact Round Corner Plate Furniture







The 202 Series Door Furniture is 162mm square with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks; Latches and Push and Pull doors.





Dimensions	162 x 162 x 3mm - aluminium 162 x 162 x 2mm - stainless steel and brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Fixing	Plates are designed to fit back to back. If outside plate is specified with concealed fixing, then the inside plate must be visible fixed.
Standard Finishes	Natural Anodised Aluminium (NT) Satin Stainless Steel (SS)
Finishes Non Standard	316 Marine Grade (MG) Polished Brass (PB) Polished Stainless Steel (PS) Powdercoat (PC)*
Handing	All plates are handed with the exception of plain plates and pull handles.
Materials	Aluminium, brass and stainless steel

Note: When using flush pulls back to back the minimum door thickness is 40mm.



successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

Artefact 202 Series has been

D8

have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

Artefact 202 Series lever sets



Anti-Corrosion




Artefact 202 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

^{*} Refer to the end of this catalogue for detailed images of all decorative finishes that suit this range.


202 Series Levers and Functions

Levers and Knob to Suit




For lever images and dimensions, see page 15.

Pull Handle to Suit




Plates



^{*3} Replace NN with NS when ordering with 3770 Series

^{*4} Recommended for sliding doors only



^{*1} Stainless Steel Only

200/202 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	
200	



e tion	Engraving	Cy Ty
01	N	





Finish
SS

Interior Plate (162 x 162) – Square Corners	20
Exterior Plate (162 v 162)	

– Radius Corners	4
Interior Plate (162 x 162)	

Interior Plate (162 x 162)	
 Radius Corners 	203

Plate Function	
Plain Plate	07
Pull Handle Only	24
Plate Function - Handed	
Cylinder Only	00

Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06

Cylinder & Fixed Lever	08
Fixed Lever Only	09
Dual Cylinder	10
Privacy Indicating	

Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16

Emergency Turn Only

Cylinder, Lever & LED

Drivacy Indicating

•	
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23

Pull Handle & Cylinder	25
Pull Handle & Emergency Turn	26

Pull Handle & Turnknob	27
Pull Handle & Privacy	
Indicating Emergency Turn	28

Pull Handle & Dual Cylinder	30
Flush Pull Only	31

riusiri uli Olliy)
Flush Pull & Cylinder	32
Fluck Dull O Francisco es Tura	2.

Flush Pull & Emergency lurn	3
Flush Pull & Turnknob	3
Fluch Dull 9 Drivacy	

Indicator Emergency Turn 35

Flush Pull & Dual Cylinder 37 Disabled Turnknob & Lever 39

Pull Handle & Disabled Turnknob

A – G Outlined Infill R – X Full Infill		
Male symbol	Α	R
Male text	В	S
Female symbol	C	Т
Female text	D	U
Disabled symbol	Ε	V
Push text	F	W
Pull text	G	Χ
Unisex symbol	Н	Υ

For all in-filled engraving, black gloss is the standard.

Cylinder Type

Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	Δ
Guarded Oval Cylinder – 32mm (H) x 18mm (W)	
Lockwood 570 Cylinders	В

No Cylinder Function – Selector	
No Cylinder Eunction	

*Only applies to 13, 14, 16 and

39 functions

AS1428.1 Compliant

	71	
102	111	112
115	116	118
124	131	132
133	142	144
145	155	166
47	59	70
74	76	77
00		

Non Compliant Lever/Knob Types

101	104	106
123	178	97
20		

Handed Levers

41	122	153
Dull Ha	ndloc	

P1*1 Pull Handles - Horizontal

Handles are brass unless indicated

*1 = Stainless Steel

*2 = Aluminium *3 = 316 Marine Grade

** Lever 65 and 85 not available in PS or PB

Handing

Left Handed	L
Right Handed	R

Finish	
Stainless Steel Finishes	
316 Marine Grade	MG
Powdercoat	PC
Polished Stainless Steel	PS
Satin Stainless Steel	SS
Aluminium Finishes	
Natural Anodised	NT*
Brass Finishes	
Polished Brass	PB

* Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

212 Series Artefact Oval Plate Furniture







The 212 Series Door Furniture is 162mm long x 50mm wide with radius ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.





Product Detail

Dimensions

Materials

Aluminium, stainless steel and brass

Materials

Aluminium, stainless steel or brass

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Standard

Natural Anodised Aluminium (NT)

Finishes

Stainless Steel (SS)

162 x 50 x 3mm - aluminium

316 Marine Grade (MG)
Non Standard Polished Brass (PB)
Finishes Polished Stainless Steel (PS)
Powdercoat (PC)

Standards and Compliance



Artefact 212 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D8

have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

Artefact 212 Series lever sets



Anti-Corrosion.




Artefact 212 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.


212 Series Levers and Functions

Levers and Knob to Suit




For lever images and dimensions, see page 15.


Pull Handle to Suit



Plates



 $^{^{*3}}$ Replace NN with NS when ordering with 3770 Series



^{*1} Stainless Steel Only

224 Series Artefact Rectangular Plate Furniture






The 224 Series Door Furniture is 162mm long x 50mm wide with square ends. Concealed fixed plates have studs with internal threads located top and bottom, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with Selector 3770 and Synergy 3570 Series Mortice Locks.



Product Details		
Dimensions	162 x 50 x 2mm - stainless steel	
Materials	Stainless steel only	
Door Thickness	35mm to 45mm as supplied. Maximum 65mm. For thicker door parts, see page 53.	
Finishes	Stainless Steel (SS)	

Standards and Compliance



Artefact 224 Series has been successfully tested up to 4 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

D8

have been successfully tested to conform with Level D8 (500,000 cycles) under Australian Standard AS4145.2-2008, Locksets and hardware for doors and windows.

Artefact 224 Series lever sets



Anti-Corrosion.




Artefact 224 Series includes levers and turns (as shown) that meet the requirements of AS1428.1-2009, Design for access and mobility.

Lockwood Artefact Series is designed, assembled and customised in Australia to suit the requirements of the Australian Market.

224 Series Levers and Functions

Levers and Knob to Suit




For lever images and dimensions, see page 15.


Pull Handle to Suit



Plates



^{*} Replace NN with NS when ordering with 3770 Series



212/224 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 21201NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	
212	

Rectangular

Plate Function
01

Engraving	
N	



ever/Knob/ Pull Handle	Н
96	



Plate Type	
Exterior Plate (162 x 50) – Oval	212
Interior Plate (162 x 50) – Oval	213
Exterior Plate (162 x 50) – Rectangular	224
Interior Plate (162 y 50)	

Plate Function	
Cylinder Only	00
Cylinder & Lever	01
Emergency Turn Only	02
Emergency Turn & Lever	03
Turnknob & Lever	04
Lever Only	05
Turnknob Only	06
Plain Plate	07
Dual Cylinder	10
Privacy Indicating Emergency Turn Only	13
Privacy Indicating Emergency Turn & Lever	14
Privacy Indicating Turnknob & Lever	16
Cylinder, Lever & LED	20
Cylinder, Fixed Lever & LED	21
Lever & LED	22
Cylinder & LED	23
Plate Function - Hande	d
Cylinder & Fixed Lever	08
Fixed Lever Only	09
Disabled Turnknob & Lever	39

Engraving - Handed	d	
A – G Outlined Infill R – X Full Infill		
Male symbol	Α	R
Male text	В	S
Female symbol	C	Т
Female text	D	U
Disabled symbol	Е	V
Push text	F	W
Pull text	G	Χ
Unisex symbol	Н	Υ
No option		N
For all in-filled engraving, blo the standard.	ick glo	oss is
Cylinder Type		
Oval Cylinder –		

Push text F	W
Pull text G	Χ
Unisex symbol H	Υ
No option	V
For all in-filled engraving, black glo the standard.	ss is
Cylinder Type	
Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	A
Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders	В
No Cylinder Function - Selector	S*
No Cylinder Function - Synergy	N
*Only applies to 13, 14, 16 and 39 functions	

AS1428.1 Compliant Lever Types			
102	111	112	
115	116	118	
124	131	132	
133	142	144	
145	155	166	
47	59	70	
74	76	77	
78	90		
Non Compliant			

Lever/Knob Types			
101	104	106	
123	178	97	
20			

ı	Handed		
	41	122	153

Aligicu	LEV	CI3

98A

Pull Handles					
P1		P1*1			75*2

Handles are brass unless indicated otherwise
*1 = Stainless Steel

*2 = Aluminium

** Lever 65 and 85 not available in PS or PB

Handing	
Left Handed	L
Dight Handad	D

Finish	
Stainless Steel Finishes	
316 Marine Grade	MG
Powdercoat	PC
Polished Stainless Steel	PS
Satin Stainless Steel	SS
Aluminium Finishes*4	
Natural Anodised	NT
Brass Finishes*4	
Polished Brass	PB

^{*} Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

Detention Series Square Plate Furniture





A heavy duty plate designed for use in hospitals and detention facilities. Styled for institutional use, this plate has six fixing points to ensure that it is well secured to the door. Plates are designed to be free of ligature points.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature Knob 21 & 22
- · Covers fixing holes from existing Artefact 200 Series Furniture
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

Product Details		
Dimensions	162mm x 180mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate	
Door Thickness*	35mm minimum, 45mm maximum	
Finishes	Satin Stainless Steel (SS)	
Fixing	Six fixing points 220D series plates have concealed fixings 221D series plates have visible fixings	
Handing	All plates are handed except 220D07, 220D24 and 220D31, which are non-handed when ordered without engraving.	
Materials	Stainless steel	

^{*}Note: A minimum door thickness of 50mm is required to fit flush pulls back to back.

Fire Rated Lockwood Detention Series Plate



furniture have been successfully tested up to 2 hours with a fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

S3

High security for maximum protection (AS4145.2:1993).


D3

High durability for maximum frequency usage.



Anti-Corrosion

Detention Series Square Plate Lever/Knobs and Functions



Cylinder guards must be ordered separately. Only the plate functions shown above in red are available with engraving.

Lever and Knob Selection

Standard Knob 21 Webbed Knob 22 Lever 23

^{*} Refer to ordering procedure for part number when ordering with 3770 Series

Detention Series Rectangular Plate Furniture



This smaller plate range has been designed for use in detention facilities such as hospitals where domestic aesthetics are preferred over institutional type styling. Plates are designed to be free of ligature points.

Application

Designed for use with Lockwood Selector 3770 and Synergy 3570 Series Mortice Locks as well as Lockwood 3579 Secure Area Rated Locks.

Features and Specifications

- Anti-ligature Knob 21 & 22
- Covers fixing holes from existing 212
 Series Artefact Plates
- Detention furniture turns feature a clutching mechanism that allows the cylinder to retract the bolt even if the turnknob is held from the inside

Product Details		
Dimensions	162mm x 76mm x 2mm: base plate 161mm x 75mm x 3mm: bevelled top plate	
Door Thickness	35mm minimum, 45mm maximum	
Finishes	Satin Stainless Steel (SS)	
Fixing	Four fixing points 222D series plates have concealed fixings 223D series plates have visible fixings	
Handing	Only plates with 23 Lever and / or turnknobs are handed	
Materials	Stainless steel	

Standards and Compliance

Fire Rated
Lockwood Detention Series Plate
furniture have been successfully
tested up to 2 hours with a
fire rated Lockwood mortice
lock on fire door assemblies



fire rated Lockwood mortice lock on fire door assemblies (depending on type of doorset) in accordance with Australian Standard AS1905.1:2005, Fire Resistant Doorsets.

High security for maximum protection (AS4145.2:1993).




High durability for maximum frequency usage.



Anti-Corrosion

Detention Series Rectangular Plate Lever/Knobs & Functions



^{*} Refer to ordering procedure for part number when ordering with 3770 Series

Lever and Knob Selection






Webbed Knob 22





Lever 23






Detention Series – Knobs and Levers

Standard Knob 2

Simple yet functional, this knob has soft edges to minimise impact injuries and antiligature features that make it suitable for use in detention facilities.






Webbed Knob 22

The webbed knob combines pleasing aesthetics, comfortable grip and antiligature features to provide a solution for any environment.









Lever 23

Ergonomically designed to maximise grip, the detention lever is suitable for use in hospitals and minimum security applications. It caters especially for the elderly or people with arthritic conditions.









Detention Series – Turns

Emergency Turn






Turnknoh






Privacy Indicating Emergency Turn





Privacy Indicating Turnknob






Detention Series – Pulls

Flush Pul


The detention flush pull has been designed to maximise grip and eliminate the possibility of hiding objects in the cavity.





Standard Pull

The detention pull allows for a firm grip and can be used to open heavy doors. Also designed to be free of hanging points.








Detention Series – Accessories



Part Number	Door Thickness Suitability
220D00/40SS	Suit doors 35-40mm
220D00/45SS	Suit doors 40-45mm
220D00/50SS	Suit doors 45-50mm
220D00/55SS	Suit doors 50-55mm
220D00/60SS	Suit doors 55-60mm





Fixing Screws

Part Number	Description	Door Thickness Suitability
220D11/45	Torx Anti-tamper Screws	35 - 45mm
220D11/55	Torx Anti-tamper Screws	45 - 55mm
220D11/65	Torx Anti-tamper Screws	55 - 65mm
220D12/45	Standard Screws	35 - 45mm
220D12/55	Standard Screws	45 - 55mm
220D12/65	Standard Screws	55 - 65mm
220D13/50	Snake-eye Screws	35 - 50mm

Torx anti-tamper, snake-eye and standard screws are available in accessory packs to suit different door thicknesses. Only standard screws to suit doors 35mm – 45mm thick are supplied with furniture. Other variations need to be ordered separately using part numbers specified.

All accessory packs contain six screws for the six mounting points per plate.

Screws are a M4 threaded screw with micro-encapsulation to provide resistance against coming loose. Screws are supplied with concealed fix furniture. For screws longer than 65mm, order SP0655MBK (75mm screws).

Detention Series Square Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 or 67 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 220D01NA/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate		Function
220	D	01
Plate		
Concealed Fi	,,	າ 220
Visible Fix 162mm x 18	0mn	n 221

Function	
Plain Plate	07
Pull Handle Only	24
Flush Pull Only	31

runction - Handed	
Cylinder Only	00
Cylinder and Lever/Knob	01
Emergency Turn Only	02
Emergency Turn and Lever	03
Turnknob and Lever/Knob	04
Lever/Knob Only	05
Turnknob Only	06
Cylinder and Fixed	
Lever/Knob	08
Fixed Lever/Knob Only	09
Privacy Indicating	
Emergency Turn Only	13
D : 1 !: .: F	

Emergency farm only	13
Privacy Indicating Emerger Turn and Lever/Knob	14
Privacy Indicating Turnknob Only	15
Privacy Indicating Turnkno and Lever/Knob	b 16
Cylinder, Lever/Knob and LE	D20
Cylinder, Fixed Lever/Knob and LED	21
Lever/Knob and LED	22
Cylinder and LED	23
Pull Handle and Cylinder	25

Engraving Options	
N	

Cylinder Type
Α

Function - Handed con	t.
Pull Handle and Turnknob	27
Pull Handle and Privacy Indicating Emergency Turn	28
Pull Handle and Privacy Indicating Turnknob	29
Flush Pull and Cylinder	32
Flush Pull and Emergency Turn	33
Flush Pull and Turnknob	34
Flush Pull and Privacy Indicating Emergency Turn	35
Flush Pull and Privacy Indicating Turnknob	36
Pull Handle and Knob	56
Pull Handle, Cylinder and Knob	57
Pull Handle, Emergency Turn and Knob	58
Pull Handle, Turnknob and Knob	59
Pull Handle, Privacy Indicat Emergency Turn and Knob	ing 60
Pull Handle, Privacy Indicat Turnknob and Knob	ing 61
Flush Pull and Lever/Knob	62
Flush Pull and Cylinder and Lever/Knob	63
Flush Pull and Emergency Turn and Lever/Knob	64
Flush Pull and Turnknob	

and Lever/Knob Flush Pull and Privacy Indicating Emergency Turn and Lever/Knob

Flush Pull and Privacy Indicating Turnknob and Lever/Knob





Engraving Options		
Male Symbol	Α	R
Male Text	В	S
Female Symbol	C	Т
Female Text	D	U
Disabled Symbol	E	V
Push Text	F	W
Pull Text	G	Χ
Unisex Symbol	Н	Υ
No Option		Ν

For all in-filled engraving, black gloss is the standard. A-G Outlined Infill R-X Full Infill

Cylinder Type	
Australian Oval	Α
No Cylinder - Selector	S*1
No Cylinder - Synergy	N
No Cylinder / No Tailbar - Selector	SN°2
No Cylinder / No Tailbar - Synergy	NN

*10nly applies to 04, 06, 13, 14, 15, 16, 59, 60, 61, 65, 66 and 67 functions. *20nly applies to 15, 16, 61 and 67 functions.

Finish

with pull handle

Knob	
Standard Knob	21
Webbed Knob	22
Lever - Handed	
Lever	23*
Handing	
Left Handed	L
Right Handed	R
*Lever cannot be used in combination	

Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

Finish	
Satin Stainless Steel	SS





66

67

Detention Series Square Plate Furniture Ordering Procedure

When ordering 04, 06, 13, 14, 15 or 16 functions with 3770 series, refer to "Cylinder Type" specification for difference in part numbers.

Sample part number 222D04NS/21LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Function	on	
222 D 04	1	
Plate		
Concealed Fix 162mm x 76mm Visible Fix	222	! !
162mm x 76mm	223	[[
Function		1
Cylinder Only	00	Į
Cylinder and Lever/Knob	01	1
Emergency Turn Only	02	ı
Emergency Turn and Leve	r 03	8
Lever/Knob Only	05	
Plain Plate	07	
Cylinder and Fixed Lever/Knob	08	
Fixed Lever/Knob Only	09	
Privacy Indicating Emergency Turn Only	13	-
Privacy Indicating Emerge Turn and Lever/Knob	ncy 14	-
Cylinder, Lever/Knob and LED	20	-
Cylinder, Fixed Lever/Knot and LED	21	,
Lever/Knob and LED	22	
Cylinder and LED	23	
Function - Handed		
Turnknob and Lever/Knob	04	
Turnknob only	06	
Privacy Indicating Turnknob Only	15	

Engraving Options	Cylinder Type		Lever/ Knob		Handing
N	S	1	21		L
Engraving Opt	ions		Knob		
Male Symbol	A R		Standard Kno	b	21
Male Text Female Symbol	B S T		Webbed Kno	b	22
Female Text	D U				
Disabled Symbol	E V		Lever - Han	dec	
Push Text Pull Text	F W G X		Lever		23
Unisex Symbol No Option	H Y		Handing		
For all in-filled engraving, black gloss is the standard. A-G Outlined Infill			Left Handed		L
			Right Handed	d	R
R-X Full Infill					



Satin Stainless Steel

Note: Cylinder guards must be ordered with all cylinder function plates. All turnknob functions are supplied with tailbars and clutching mechanisms as standard.

SS


Cylinder Type	
Australian Oval	Α
No Cylinder - Selector	S*1
No Cylinder - Synergy	N
No Cylinder / No Tailbar - Selector	SN*2
No Cylinder / No Tailbar - Synergy	NN
*1Only applies to 04, 06, 13, 14 16 functions.	l, 15 and

Privacy Indicating


Turnknob and Lever/Knob 16

 $^{^{*2}}$ Only applies to 15 and 16 functions.

Palladium® Series Door Furniture



The Palladium Series represents the highest standard in residential and semi-commercial door hardware and is brought to you through modern innovative designs, combined with quality manufacturing. A range of lever options is available to enable a common style throughout the home.



Product Details		
Dimensions	222 x 30 x 9mm	
Door Thickness	Minimum 32mm - maximum 45mm door thickness.	
Finishes	Black (BLK) Polyester Powdercoat (PPC) Satin Chrome Pearl (SP) Satin Chrome Pearl New Zealand (SPNZ)	
Fixing	Hole centres at 181mm	
Handing	Easy, field selectable handing.	
Materials	All plates and levers in the Palladium Series are constructed from solid zinc die-cast.	
Screws	M4 Trilobial thread cutting screws Non-threaded screw posts	
Keying	Use with Euro profile cylinder	
Application	Used with Optimum and Union mortice locks, see table on page 48.	

High security for maximum **S3** protection (AS4145.2:2008).

Tested to AS4145.2 2008 for **D8** Durability passing D8 - 500,000 cycles.




Tested to AS4145.2 2008 for Neutral Salt Spray passing C6 Normal Corrosion Resistance - 168 Hours.

Palladium® Series Furniture


French Door - PLFD Versions

These are used on the fixed door of a set of double doors. The outside furniture has no visible screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings, is used to operate two way locking and has a cylinder hole. This works with the cylinder supplied with the two way lock.




Passage - PL1 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, no cylinder and the handle operates the latch on the lock. The inside furniture has visible screw fixings, no cylinder hole and the handle operates the latch on the lock.




Double Cylinder - PL4 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. Handles operate bolts when used with a compatible multi point lock.




Dummy - PL5 Versions

These are used on the fixed door of a set of double doors. The outside furniture has no visible furniture screws, no cylinder hole and the handle is fixed. The inside furniture has visible screw fixings, no cylinder hole and the handle is fixed.



Indicating with Snib - PX4 Versions

These are used on the active door of either single or double doors. The outside furniture has no visible screws, a cylinder hole and the handle operates the latch on the lock. The inside furniture has visible screw fixings, a cylinder hole and the handle operates the latch on the lock. The snib on the inside locks and unlocks the handles and the indicator is red when the cylinder is locked.




Palladium® Series Door Furniture

Summit[®] L1












Aria® #27












Acacia® #29











Palladium® Series Door Furniture

Acacia® #29A












Gidgee® L37










Diecast Levers

Acacia® #29		
Part Number	#29	
Length	122mm	
Projection	56mm	
Finger clearance	41mm	


^{*}Design Registered Australia/New Zealand.





Acacia® #29A		
Part Number	#29	
Length	122mm	
Projection	56mm	
Finger clearance	41mm	


^{*}Design Registered Australia/New Zealand.





Aria® S27	
Part Number	#27
Length	123mm
Projection	48mm
Finger clearance	36mm

 $^{{\}rm *Design}\ Registered\ Australia/New\ Zealand.$









Gidgee® #37	
Part Number	#37
Length	122mm
Projection	53mm
Finger clearance	37mm

^{*}Design Registered Australia/New Zealand.









Diecast Levers

Summit® #L1		
Part Number	#L1	
Length	124mm	
Projection	57mm	
Finger clearance	37mm	









Palladium® Series Part Numbers

Double Cylinder Loc	king Furniture	
Lever 1	Part Number	Barcode
Satin Chrome Pearl	PL4/85/L1SP	9311847793781
Black	PL4/85/L1BLK	9311847793811
Satin Chrome Pearl (NZ)	PL4/85/L1SPNZ	9340116012506
Powdercoat	PL4/85/L1PPC	9311847793842
Lever 27	Part Number	Barcode
Satin Chrome Pearl	PL4/85/27SP	9311847798519
Black	PL4/85/27BLK	9311847798458
Satin Chrome Pearl (NZ)	PL4/85/27SPNZ	9311847147355
Powdercoat	PL4/85/27PPC	9311847798496
Lever 29 / 29A	Part Number	Barcode
Satin Chrome Pearl	PL4/85/29ASP	9340116022826
Black	PL4/85/29ABLK	9340116022833
Satin Chrome Pearl (NZ)	PL4/85/29SPNZ	9340116023403
Powdercoat	PL4/85/29PPC	9311847797307
Lever 37	Part Number	Barcode
Satin Chrome Pearl	PL4/85/37SP	9311847798670
Black	PL4/85/37BLK	9311847798618
Satin Chrome Pearl (NZ)	PL4/85/37SPNZ	9340116028750

Lever 27	Part Number
Black	PL1/00/27BLK
Satin Chrome Pearl (NZ)	PL1/00/27SPNZ
Powdercoat	PL1/00/27PPC
Dummy Sets	
Lever 27	Part Number
Black	PL5/00/27BLK
Satin Chrome Pearl (NZ)	PL5/00/27SPNZ
Powdercoat	PL5/00/27PPC

Barcode

Barcode

French Door Sets		
Lever 1	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/L1SP	9311847810839
Black	PLFD/85/L1BLK	9311847810808
Lever 27	Part Number	Barcode
Satin Chrome Pearl	PLFD/85/27SP	9311847810433
Black	PLFD/85/27BLK	9311847810402

Palladium[®] Series Part Numbers

Indicating &	Snib - Do	uble Cyli	nder Lock	ing Furniture
marcacing a				

9		
Lever 1	Part Number	Barcode
Satin Chrome Pearl	PX4/85/L1SP	9311847105522
Black	PX4/85/L1BLK	9311847105492
Satin Chrome Pearl (NZ)	PX4/85/L1SPNZ	9340116027173
Powdercoat	PX4/85/L1PPC	9311847105515
Lever 27	Part Number	Barcode
Satin Chrome Pearl	PX4/85/27SP	9311847989405
Black	PX4/85/27BLK	9311847989412
Satin Chrome Pearl (NZ)	PX4/85/27SPNZ	9311847119260
Powdercoat	PX4/85/27PPC	9311847105225
Lever 29 / 29A	Part Number	Barcode
Lever 29 / 29A Satin Chrome Pearl	Part Number PX4/85/29ASP	Barcode 9340116022802
·		
Satin Chrome Pearl	PX4/85/29ASP	9340116022802
Satin Chrome Pearl Black	PX4/85/29ASP PX4/85/29ABLK	9340116022802 9340116022819
Satin Chrome Pearl Black Satin Chrome Pearl (NZ)	PX4/85/29ASP PX4/85/29ABLK PX4/85/29SPNZ	9340116022802 9340116022819 9340116027180
Satin Chrome Pearl Black Satin Chrome Pearl (NZ)	PX4/85/29ASP PX4/85/29ABLK PX4/85/29SPNZ	9340116022802 9340116022819 9340116027180
Satin Chrome Pearl Black Satin Chrome Pearl (NZ) Powdercoat	PX4/85/29ASP PX4/85/29ABLK PX4/85/29SPNZ PX4/85/29PPC	9340116022802 9340116022819 9340116027180 9311847105355
Satin Chrome Pearl Black Satin Chrome Pearl (NZ) Powdercoat Lever 37	PX4/85/29ASP PX4/85/29ABLK PX4/85/29SPNZ PX4/85/29PPC Part Number	9340116022802 9340116022819 9340116027180 9311847105355 Barcode
Satin Chrome Pearl Black Satin Chrome Pearl (NZ) Powdercoat Lever 37 Satin Chrome Pearl	PX4/85/29ASP PX4/85/29ABLK PX4/85/29SPNZ PX4/85/29PPC Part Number PX4/85/37SP	9340116022802 9340116022819 9340116027180 9311847105355 Barcode

Palladium® Series Part Numbers


Application				
Item Number	Product Name	PL	PX	PLFD
OP30/1LAN/SS	OPTIMUM 1PT HINGED 30MM BACKSET TP	✓	Х	Х
OP30/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 30MM BACKSET TP	✓	1	X
OP30/2PTL/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 24MM BOLT 30MM BACKSET PK=25	✓	1	X
OP30/2PTS/SS	OPTIMUM 2PT HINGED 13MM BOLT 30MM BACKSET TP	✓	1	X
OP30/2PTS/SSBL	OPTIMUM 2PT HINGED BEVEL BOLT 30MM BACKSET PK=25 TP	✓	1	X
OP30/4PTS/SSBL	OPTIMUM 4PT HINGED SHOOT BEVEL BOLT 30MM BACKSET PK=25 TP	✓	1	Х
OP30/4RML/SS	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM BACKSET	✓	1	Х
OP30/4RML/SSBL	OPTIMUM 4PT HINGED REMOTES 24MM BOLT 30MM B/SET BEVEL BOLT & 2 PACKERS	✓	1	X
OP30/4RMS/SS	OPTIMUM 4PT HINGED REMOTES 13MM BOLT 30MM BACKSET	✓	1	X
OP30/4SBL/SS	OPTIMUM 4PT HINGED SHOOT BOLT 24MM BOLT 30MM BACKSET TP	✓	1	Х
OP30/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 30MM BACKSET TP	✓	1	Х
OP40/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 40MM BACKSET TP	✓	1	Х
OP40/4SBS/SS	OPTIMUM 4PT HINGED SHOOT BOLT 13MM BOLT 40MM BACKSET TP	✓	1	Х
OP50/2PTL/SS	OPTIMUM 2PT HINGED 24MM BOLT 50MM BACKSET	✓	1	Х
U-X925-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 25MM BACKSET TP	✓	X	Х
U-X930-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 30MM BACKSET	✓	Х	Х
U-X935-SS-M5	UNION 85MM PITCH EURO MORTICE LOCK 35MM BACKSET	✓	X	Х
P84318NRA	TBL FR DR NO FURN/CYL *NO RODS	Х	X	✓

Note: For further information, please refer to the Euro Profile Mortice Locks catalogue.

Brass Furniture Thicker Door Accessories

Lockwood Brass Door Furniture is suitable for use across a wide range of door thicknesses. In certain applications longer screws, spindles and turnknob tailbars may be required.


Screws



Screws							
Part Number	Pack	Length (A)	Threaded	Door Thi	Door Thickness		
	Size	Length (B)	Min	Max			
SPA20-V3 NSS	20	65mm	40mm	32mm	50mm		
SP0655MBK	10	75mm	40mm	42mm	60mm		
SP1800-608ZP	10	120mm	75mm	52mm	105mm		
SP1800-208SS	10	215mm	125mm	97mm	200mm		

Note: Item shown is red is the standard screw that is supplied with furniture. Consideration should be given to screw finish on furniture platforms featuring visible fixing.

Mortice Lock Spindles



SP3570-5228

SP3570-5238

Mortice Lock Spindles							
Part Number	Pack	Length (A)	Door Thic	kness			
	Size		Min	Ma			
SP3570-5018	10	33mm	35mm	50			

10

In thicker door scenarios when Lockwood Brass Door Furniture is used with Lockwood Selector or Synergy Series Mortice Locks, longer spindles may be required.

45mm

58mm

Max 50mm

75mm

100mm

50mm

75mm

Turnknob Tailbars

SP571-138ZP

The door thickness range for a turnknob tailbar will depend on whether the turn is in a cylinder and turn configuration or a privacy (turn and turn) configuration

lurnknob lailbars			
Part Number	Pack Size	Length	
SP571-38ZP	10	47mm	


98mm


Note: Item shown is red is the standard tailbar that is supplied with furniture.



Lockwood Door Furniture Handing Convention

Applicable for All Handed Furniture





Metal Finishes

For Metal Finish sample refer to code under each image.



Antique Copper (AC)
Sample Code: FIN-SAMPLEAC*



Architectural Bronze Unlacquered (AU) Sample Code: FIN-SAMPLEAU*



Oil Rubbed Bronze (ORB)
Sample Code: FIN-SAMPLEORB*



Aged Brass (AG)
Sample Code: FIN-SAMPLEAG*



Architectural Bronze (AZ)
Sample Code: FIN-SAMPLEAZ**



Polished Brass (PB)
Sample Code: FIN-SAMPLEPB**



Satin Brass (SB)
Sample Code: FIN-SAMPLESB**



Polished Brass Unlacquered (BU) Sample Code: FIN-SAMPLEBU*



Satin Brass Unlacquered (SBU) Sample Code: FIN-SAMPLESBU*



Satin Chrome Plating (SC)
Sample Code: FIN-SAMPLESC



Chrome Plating (CP)
Sample Code: FIN-SAMPLECP



Stainless Steel (SS)
Sample Code: FIN-SAMPLESS



Polished Stainless Steel (**PS**) Sample Code: FIN-SAMPLEPS



Natural Anodized Aluminium (NT) Sample Code: FIN-SAMPLENT

NOTE: Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative.

**Finish is protected by a top clear lacquer.

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call **1300WARRANTY**


Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.



NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



Matt



Satin

We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Satin



Satin

Matt

Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:


FIN-SAMPLEPC specify the desired color from the images below when placing order.



NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.



Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited $\,$



Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY



Decorative Finishes Per Series

Powdercoat Finishes

Rose Door Handles: Robert Watson, 1220, 1420, 1360, 1370, 260, 260SQ

Plate Door Handles: 1800, 2800, 4800, 5800, 200, 202, 212, 224


Push/Pull Plates: 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185


Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series. Refer to the series catalogue for specific detailed information.

Reference Table									
	Brass Series Rose Door Handles 1220, 1420, 1360, 1370	Brass Series Plate Door Handles 1800, 2800, 4800, 5800	Artefact Series Rose Door Handles 260	Artefact Series Rose Door Handles 260SQ	Artefact Series Plate Door Handles 200, 202,	Artefact Series Plate Door Handles 212, 224	Push/Pull Plate Series 184, 185	Push/Pull Plate Series 214/215, 216/217, 218/219	Push/Pull Plate Series 206/207, 208/209
Antique Copper (AC)	\checkmark	\checkmark	\checkmark	×	✓	×	\checkmark	\checkmark	x
Architectural Bronze Unlacquered (AU)	✓	✓	✓	x	✓	×	✓	✓	×
Oil Rubbed Bronze (ORB)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	x
Aged Brass (AG)	\checkmark	✓	\checkmark	×	✓	×	✓	✓	x
Architectural Bronze (AZ)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	×
Polished Brass (PB)	\checkmark	✓	\checkmark	×	✓	×	\checkmark	✓	×
Satin Brass (SB)	\checkmark	\checkmark	\checkmark	×	\checkmark	×	\checkmark	\checkmark	×
Polished Brass Unlacquered (BU)	\checkmark	✓	✓	×	✓	×	✓	✓	×
Satin Brass Unlacquered (SBU)	\checkmark	✓	✓	x	√	×	✓	✓	×
Satin Chrome Plating (SC)	\checkmark	\checkmark	×	×	×	×	✓	×	x
Chrome Plating (CP)	\checkmark	\checkmark	x	×	×	×	\checkmark	×	×
Stainless Steel (SS)	×	×	\checkmark	✓	✓	\checkmark	x	✓	\checkmark
Polished Stainless Steel (PS)	×	x	\checkmark	×	✓	\checkmark	×	✓	✓
Marine Grade Stainless Steel (MG)	×	×	✓	×	\checkmark	✓	×	✓	✓
Natural Anodised Aluminium (NT)	×	x	\checkmark	x	✓	✓	x	×	×

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call **1300WARRANTY**





Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.



The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call 1300WARRANTY

ASSA ABLOY Australia Pty Ltd 235 Huntingdale Road Oakleigh, Victoria, 3166 Australia

1300 LOCK UP (1300 562 587) lockweb.com.au

ASSA ABLOY New Zealand Ltd 6 Armstrong Road Albany, Auckland, 0632 New Zealand

info.nz@assaabloy.com Telephone +64 9415 7111 assaabloy.co.nz



Purchase Lockwood products through Access Hardware to earn 1 Qantas Point per \$1 spent for your business*.

*A business must be a Qantas Business Rewards member to earn Qantas points for business. Membership and Qantas Points are subject to Qantas Business Rewards Terms and Conditions at qantasbusinessrewards.com/terms and Access Hardware Terms and Conditions at www.accesshardware.com.au/abr

Customer Service **1800 555 600**

Locksmithing **1800 555 700**

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2020 copyright by ASSA ABLOY All rights reserved

