
Cylinders



There are numerous Lockwood cylinder variations available to suit the many different locks available in the Australian market. In pages 11– 22 these are shown with detail on dimensions, available cams, finishes and platforms. The diagrams on the following pages have been provided for reference purposes. They are available in various keyways or profiles. For simplicity the keyway has been shown blacked out.


Standard Inline and GEN6T®

Inline keying systems such as standard keying and GEN6T have the keyway vertical as shown. Where a cam is required it will have the cam screws in a horizontal position.



Lockwood MT5 and MT5+

Lockwood MT5 systems have the keyway horizontal as shown. This also means different cams are required as the cam screws are set diagonally.



Contents



001 Internal Cylinder

page11



201 Rim Cylinder

page 11



570 Australian Oval Cylinder

page 12



570E Modular Base Cylinder & 3700 Dual Access Lower Cylinder

page 14



577 Synergy 3500 Series Dual Access Lower Cylinder

page 14



334 Padlock Cylinder

page 15



355 Internal Cylinder

page 15



530 Key in Knob Cylinder

page 16



3500 Series Hold Back Cylinders

page 16



8217 Astra Oval Cylinder

page 17



8221 "PD" Cylinder

page 17



8466 Kawneer Cylinder

page 18



10000 External Cylinder

page 18



Nexion® Cylinder

page 19



Euro Profile Lazy Cam Double Cylinder - suits Security Door locks

page 20



Euro Profile Lazy Cam Cylinder & Turn - suits Security Door locks

page 20



Euro Double Cylinder - Fixed Cam

page 21



Euro Cylinder and Turn - Fixed Cam

page 21



Euro Single Cylinder - Fixed Cam

page 22


25YEAR MECHANICAL WARRANTY


Cylinders


001 Internal Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	SP001-3020	001 Inner Cylinder with 001 Cam Assembly	✓	✓	✓
GEN6T	001G6NEIM	001 Inner Cylinder with 001 Cam Assembly	✓	✓	✓
MT5	001MT5/	001 Inner Cylinder with 001 Cam Assembly	✓		
MT5+	001MT5+	001 Inner Cylinder with 001 Cam Assembly	✓		
Standard	SP680-320	680 Cylinder with 680 Cam Assembly	✓		
GEN6T	680G6NEEM	680 Cylinder with 680 Cam Assembly	✓		
MT5	680MT5/	680 Cylinder with 680 Cam Assembly	✓		
MT5+	680MT5+	680 Cylinder with 680 Cam Assembly	✓		

This cylinder is used for the inside of the Lockwood 001 Deadlatch and as the cylinder for the 680 Lockable Patio Bolt. The application and function is dependant on the various cylinder cams shown below.







001 INNER CAM ASSEMBLY





680 CAM ASSEMBLY

201 Rim Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	201-252	201 Rim Cylinder with Tail Bar	✓	✓	✓
GEN6T	201G6NREM	201 Rim Cylinder with Tail Bar	✓		
MT5	201MT5/	201 Rim Cylinder with Tail Bar	✓		
MT5+	201MT5+	201 Rim Cylinder with Tail Bar	✓		

This cylinder is used as the external cylinder in a wide range of rimlocks including Lockwood 001, 002, 303, 355, 201, 211, 213 etc.






570 Australian Oval Cylinder

Key System	Part Number	Description	Finishes SC	CP	PB
Standard	SP3540-2	Oval Cylinder with Rabbit Ear Cam	✓	✓	✓
GEN6T	3540G6NOEM	Oval Cylinder with Rabbit Ear Cam	✓	✓	✓
Standard	570-2	Oval Cylinder with X Cam	✓	✓	✓
Standard	571-2	Oval Cylinder with Y Cam	✓	✓	✓
Standard	572-2	Oval Cylinder with Z Cam	✓	✓	✓
Standard	575-2	Oval Cylinder with W Cam	✓	✓	✓
Standard	575-52	Oval Cylinder with M Cam	✓	✓	✓
Standard	570C4/V	Oval Cylinder with V Cam	✓	✓	✓
Standard	570C4/X7	Oval Cylinder with X7 Cam	✓	✓	✓
GEN6T	570G6MOEM	Oval Cylinder with M Cam	✓	✓	✓
GEN6T	570G6WOEM	Oval Cylinder with W Cam	✓	✓	✓
GEN6T	570G6XOEM	Oval Cylinder with X Cam	✓	✓	✓
GEN6T	570G6YOEM	Oval Cylinder with Y Cam	✓	✓	✓
GEN6T	570G6ZOEM	Oval Cylinder with Z Cam	✓	✓	✓
GEN6T	570G6VOEM	Oval Cylinder with V Cam	✓	✓	✓
GEN6T	570G6X7OEM	Oval Cylinder with X7 Cam	✓	✓	✓
MT5	570MT5/M	Oval Cylinder with M Cam	✓		
MT5	570MT5/W	Oval Cylinder with W Cam	✓		
MT5	570MT5/X	Oval Cylinder with X Cam	✓		
MT5	570MT5/Y	Oval Cylinder with Y Cam	✓		
MT5	570MT5/Z	Oval Cylinder with Z Cam	✓		
MT5	570MT5/V	Oval Cylinder with V Cam	✓		
MT5	570MT5/X7	Oval Cylinder with X7 Cam	✓		
MT5	590MT5/R	Oval Cylinder with Rabbit Ear Cam			
MT5+	570MT5+M	Oval Cylinder with M Cam	✓		
MT5+	570MT5+W	Oval Cylinder with W Cam	✓		
MT5+	570MT5+X	Oval Cylinder with X Cam	✓		
MT5+	570MT5+Y	Oval Cylinder with Y Cam	✓		
MT5+	570MT5+Z	Oval Cylinder with Z Cam	✓		
MT5+	570MT5+V	Oval Cylinder with V Cam	✓		
MT5+	570MT5+X7	Oval Cylinder with X7 Cam	✓		
MT5	590MT5+R	Oval Cylinder with Rabbit Ear Cam			

This cylinder is used on Lockwood Cylinder Mortice Locks such as the 3770 Series and 3570 Series (3772, 3572 etc.), 3780 and 3580 Series (3782, 3582 etc.). The lock application and function is dependant on the various cylinder cams shown below.

Various extended length cylinders are also available.

STD GEN6T MT5



25YEAR MECHANICAL WARRANTY

Standard Cams



"X" CAM
SP570-18ZP



"Y" CAM
SP571-18ZP



"Z" CAM
SP572-18ZP



"W" CAM
SP575-18ZP



"M" CAM
W cam mounted
upsidedown



"RABBIT EAR" CAM
SP3540-815ZP



"V" CAM
SP3700/VCAM



"X7" CAM
SP3700/X7CAM

MT5 Cams



"M-X" CAM
CMT5/C570X



"M-Y" CAM
CMT5/C570Y



"M-Z" CAM
CMT5/C570Z



"M-W" CAM
CMT5/C570W



"M" CAM
W cam mounted
upsidedown



"M-RABBIT EAR" CAM
CMT5/C590R



"V" CAM
CMT5/C570V



"X7" CAM
CMT5/C570X7


Cylinders

570E Modular Base Cylinder & 3700 Dual Access Lower Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	570E/	570E Modular Base Cylinder	✓	✓	✓
Standard	570EC4/77	3777 Dual Access Lower Cylinder	✓	✓	✓
Standard	570EC4/87	3787 Dual Access Lower Cylinder	✓	✓	✓
GEN6T	570EG6/	570E Modular Base Cylinder	✓	✓	✓
GEN6T	570EG6/77	3777 Dual Access Lower Cylinder	✓	✓	✓
GEN6T	570EG6/87	3787 Dual Access Lower Cylinder	✓	✓	✓
MT5+	570EMT5+/	570E Modular Base Cylinder	✓		
MT5+	570EMT5+77	3777 Dual Access Lower Cylinder	✓		
MT5+	570EMT5+87	3787 Dual Access Lower Cylinder	✓		

This cylinder is used as both the Modular Base cylinder and the bottom cylinder in the Lockwood 3700 Series Dual Entry Mortice Lock.

STD GEN6T MT5




577 Synergy 3500 Series Dual Access Lower Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	577-2	577 Cylinder with Standard Cam	✓	✓	✓
GEN6T	577G6NOEM	577 Cylinder with Standard Cam	✓	✓	✓
MT5	577MT5/	577 Cylinder with Standard Cam	✓		
MT5+	577MT5+	577 Cylinder with Standard Cam	✓		

This cylinder is used as the bottom cylinder in the Lockwood 3577 Dual Entry Mortice Lock.

STD GEN6T MT5



Cylinders


334 Padlock Cylinder

Key System	Part Number	Description	SC	CP	PB
GEN6T	334BG6NEEM	355 Inner Cylinder with Cam	✓		
MT5	334MT5/	355 Inner Cylinder with Cam	✓		
MT5+	334MT5+	355 Inner Cylinder with Cam	✓		

This cylinder is used for the Lockwood 334 range of padlocks and various other re-keyable padlocks. Utilises the 570 barrel (inline systems).

STD GEN6T MT5






355 Internal Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	SP355-120	355 Inner Cylinder with Cam	✓		
GEN6T	355G6NEIM	355 Inner Cylinder with Cam	✓		
MT5	355MT5/	355 Inner Cylinder with Cam	✓		
MT5+	355MT5+	355 Inner Cylinder with Cam	✓		

This cylinder is used for the inside of the Lockwood 355 Deadlock. Utilises the 570 barrel (inline systems).

STD GEN6T MT5






Cylinders

530 Key in Knob Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	530-20	530 Cylinder	✓		
GEN6T	530G6NEEM	530 Cylinder	✓		
MT5	530MT5/	530 Cylinder	✓		
MT5+	530MT5+	530 Cylinder	✓		

This cylinder is used in the Lockwood 530 Series Key in Knob Locksets and the 930/950 Series Key in Lever Locksets.
Also used in the Lockwood 301 Padlock.

STD GEN6T MT5




3500 Series Hold Back Cylinders

Key System	Part Number	Description	SC	CP	PB
Standard	3570-2402	3570 Synergy Hold Back Cylinder R/Hand	✓	✓	✓
Standard	3570-2452	3570 Synergy Hold Back Cylinder L/Hand	✓	✓	✓
Standard	3580-2402	3580 Synergy Hold Back Cylinder R/Hand	✓	✓	✓
Standard	3580-2452	3580 Synergy Hold Back Cylinder L/Hand	✓	✓	✓
GEN6T	3570G6ROEM	3570 Synergy Hold Back Cylinder R/Hand	✓	✓	✓
GEN6T	3570G6LOEM	3570 Synergy Hold Back Cylinder L/Hand	✓	✓	✓
GEN6T	3580G6ROEM	3580 Synergy Hold Back Cylinder R/Hand	✓	✓	✓
GEN6T	3580G6LOEM	3580 Synergy Hold Back Cylinder L/Hand	✓	✓	✓

NOTE: A hold back adaptor is available to suit MT5 Modular Base Cylinders


This cylinder is used as the holdback cylinder for Lockwood Synergy 3500 Series Mortice Locks

STD GEN6T





H/B CAM RETAINER PLATE
SP3570-5118



3580 H/B CAM
SP3580-5125



RH 3570 H/B CAM
SP3570-5125



LH 3570 H/B CAM
SP3580-5625

25YEAR MECHANICAL WARRANTY

Cylinders


8217 Astra Oval Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	8217-5	Astra Oval with Standard Cam	✓		
GEN6T	8217G6NOEM	Astra Oval with Standard Cam	✓		
MT5	8217MT5/	Astra Oval with Standard Cam	✓		
MT5+	8217MT5+	Astra Oval with Standard Cam	✓		

This cylinder is used for Astra Mortice Locks.

MT5





8221 "PD" Cylinder


Key System	Part Number	Description	SC	CP	PB
Standard	8221-102	PD Cylinder - * Use Existing Cam from Lock	✓	✓	✓
GEN6T	8221G6NEEM	PD Cylinder - * Use Existing Cam from Lock	✓	✓	✓
MT5	8221MT5/	PD Cylinder - * Use Existing Cam from Lock	✓		
MT5+	8221MT5+	PD Cylinder - * Use Existing Cam from Lock	✓		
Standard	9A-CYL520	Onyx External Cylinder with Onyx Cam	✓		
GEN6T	ONYG6NEEM	Onyx External Cylinder with Onyx Cam	✓	✓	✓
MT5	ONYMT5/E	Onyx External Cylinder with Onyx Cam	✓		
MT5+	ONYMT5+E	Onyx External Cylinder with Onyx Cam	✓		


This cylinder is used in Lockwood 7105 and 7108 Symmetry Deadbolts, Yale Commercial Key in Knob Locksets, and the outside of the Lockwood Onyx Sliding Patio Door Lock. Also used in many other imported locksets.

Various tail pieces can be fitted to this cylinder. Due to the variety available the tail piece from the existing lockset will be required to be fitted to this cylinder.

STD GEN6T MT5







9A-112



SP8221-25

Cylinders

8466 Kawneer Cylinder

Key System	Part Number	Description	SC	CP	PB
Standard	8466-1	Kawneer Cylinder with 8466-18 Cam	✓		
GEN6T	8466G6KREM	Kawneer Cylinder with 8466-18 Cam	✓		
MT5	8466MT5/	Kawneer Cylinder with 8466-18 Cam	✓		
MT5+	8466MT5+	Kawneer Cylinder with 8466-18 Cam	✓		

This cylinder is used in many imported locks. The cylinder is screwed into the mortice lock and then retained by a grub screw. It is important to check the thread pitch for compatibility. This cylinder comes with the 8466-18 Deadlocking Cam. Other cams are available separately.

Various other tail pieces can be fitted to this cylinder. Due to the variety available the tail piece from the existing lockset may be required to be fitted to this cylinder.

STD GEN6T MT5





8219-18
Yale



SP8466-18
Kawneer Deadlocking



8466-28
Kawneer Latching




SP8219-218
Vingcard

10000 External Cylinder

Key System	Part Number	Description	SC	CP	PB
MT5	10000MT5/	Digital Override Cylinder with Cam Assembly	✓		
MT5+	10000MT5+	Digital Override Cylinder with Cam Assembly	✓		

This cylinder is used as the external override cylinder on Lockwood Mechanical Digital Locksets.

MT5



25YEAR MECHANICAL WARRANTY


Nexion® Cylinder


Key System	Part Number	Description	SC	CP	PB
Standard	EV22/20	Paradigm Double Cylinder with Paradigm Cam	✓	✓	✓
GEN6T	005G6NEEM	Paradigm Single Cylinder with Paradigm Cam (Internal or External)	✓	✓	✓
MT5	005MT5/	Paradigm Single Cylinder with Paradigm Cam (Internal or External)	✓		
MT5+	005MT5+	Paradigm Single Cylinder with Paradigm Cam (Internal or External)	✓		
Standard	NX8/2	Nexion Double Cylinder with Nexion Cam	✓	✓	✓
GEN6T	NEXG6NEEM	Nexion External Cylinder with Nexion Cam	✓	✓	✓
GEN6T	NEXG6NEIM	Nexion Internal Cylinder with Nexion Cam	✓	✓	✓
MT5	NEXMT5/E	Nexion External Cylinder with Nexion	✓		
MT5	NEXMT5/I	Nexion Internal Cylinder with Nexion Cam	✓		
MT5+	NEXMT5+E	Nexion External Cylinder with Nexion Cam	✓		
MT5+	NEXMT5+I	Nexion Internal Cylinder with Nexion Cam	✓		
Standard	9A-CYL521	Onyx Internal Cylinder with Onyx Cam	✓		
GEN6T	ONYG6NEIM	Onyx Internal Cylinder with Onyx Cam	✓	✓	✓
MT5	ONYMT5/I	Onyx Internal Cylinder with Onyx Cam	✓		
MT5+	ONYMT5+I	Onyx Internal Cylinder with Onyx Cam	✓		


This cylinder is a tall top chamber cylinder utilising the 001 barrel (inline systems). Used for Lockwood 005 Paradigm Deadbolt, Nexion Locksets and the inside on the Onyx Sliding Patio Door Lock. The lock application and function is dependant on the various cylinder cams shown below.

STD GEN6T MT5










Cylinders

Euro Profile Lazy Cam Double Cylinder - suits Security Door locks

Key System	Part Number	Description	X	Y	Z	SC	CP	PB
Standard	8650-2	Double Euro Cylinder with Lazy Cam (5 pin)	62.6	31.3	31.3		✓	
Standard	9555-302	Double Euro Cylinder with Lazy Cam	70	35	35		✓	
GEN6T	9555-3G6NSDM	Double Euro Cylinder with Lazy Cam	66	35	35		✓	
MT5	EURMT5/LD	Double Euro Cylinder with Lazy Cam	66	33	33		✓	
MT5+	EURMT5+LD	Double Euro Cylinder with Lazy Cam	66	33	33		✓	

Used in various security door locks including Lockwood 8653, Whitco Tasman and Leichhardt Locksets. Retainer screw is 3/16" BSW thread and 32mm long.

STD GEN6T MT5




Euro Profile Lazy Cam Cylinder & Turn - suits Security Door locks

Key System	Part Number	Description	X	Y	Z	SC	CP	PB
Standard	9555-402L	Cylinder and Turn Euro with Lazy Cam L/H	70	35	35		✓	
	9555-402R	Cylinder and Turn Euro with Lazy Cam R/H	70	35	35		✓	
GEN6T	9555-4G6LSTM	Cylinder and Turn Euro with Lazy Cam L/H	70	35	35		✓	
	9555-4G6RSTM	Cylinder and Turn Euro with Lazy Cam R/H	70	35	35		✓	
MT5	EURMT5/LLT	Cylinder and Turn Euro with Lazy Cam L/H	66	33	33		✓	
	EURMT5/LRT	Cylinder and Turn Euro with Lazy Cam R/H	66	33	33		✓	
MT5+	EURMT5+LLT	Cylinder and Turn Euro with Lazy Cam L/H	66	33	33		✓	
	EURMT5+LRT	Cylinder and Turn Euro with Lazy Cam R/H	66	33	33		✓	

Used in various security door locks including Lockwood 8653, Whitco Tasman and Leichhardt Locksets. Retainer screw is 3/16" BSW thread and 32mm long.

STD GEN6T MT5




Euro Double Cylinder - Fixed Cam

Key System	Part Number	Description	X	Y	Z	SC	CP	PB
Standard	9555-102	Double Cylinder Euro with Fix Cam	70	35	35		✓	
GEN6T	9555-1G6NSDM	Double Cylinder Euro with Fix Cam	70	35	35		✓	
MT5	EURMT5/FD	Double Cylinder Euro with Fix Cam	66	33	33		✓	
MT5+	EURMT5+FD	Double Cylinder Euro with Fix Cam	66	33	33		✓	

Used in many Euro style mortice locks including Lockwood Optimum and Defender Mortice Locks. Retainer screw is M5 thread.

STD GEN6T MT5




Euro Cylinder and Turn - Fixed Cam

Key System	Part Number	Description	X	Y	Z	SC	CP	PB
Standard	9555-202	Cylinder and Turn Euro with Fix Cam	70	35	35		✓	
GEN6T	9555-2G6NSTM	Cylinder and Turn Euro with Fix Cam	70	35	35		✓	
MT5	EURMT5/FT	Cylinder and Turn Euro with Fix Cam	66	33	33		✓	
MT5+	EURMT5+FT	Cylinder and Turn Euro with Fix Cam	66	33	33		✓	

Used in many Euro style mortice locks including Lockwood Optimum and Defender Mortice Locks. Retainer screw is M5 thread.

STD GEN6T MT5



Euro Single Cylinder - Fixed Cam

Key System	Part Number	Description	X	Y	Z	SC	CP	PB
Standard	9555-502	Cylinder and Turn Euro with Fix Cam	45	35			✓	
GEN6T	9555-5G6NSEM	Cylinder and Turn Euro with Fix Cam	45	35			✓	
MT5	EURMT5/FS	Cylinder and Turn Euro with Fix Cam	42.4	33			✓	
MT5+	EURMT5+FS	Cylinder and Turn Euro with Fix Cam	42.4	33			✓	

Used in many Euro style mortice locks including Lockwood Optimum and Defender Mortice Locks. Retainer screw is M5 thread.

STD GEN6T MT5

