


Paradigm® Pull Handle Lockset - Deadlatch



Interior View - Single Cylinder Shown



The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Pull Handle latching lockset is available in single and double cylinder variants.

Both variants are specifically designed for semi-commercial and apartment building applications. The locksets have been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1:Fire Resistant Doorset.

The Pull Handle lockset applies the innovative safety features from the Paradigm 005 Deadbolt into a latching lockset and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- High security cut resistant Stainless Steel latch
- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance
- Safety Release™ automatically unlocks internal knob upon key entry from outside*
- LockAlert® indicator shows lock status at a glance*

*Only available in double cylinder variant

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Dimensions	External handle length - 600mm Internal handle length - 500mm Handle width - 30mm
Backset	60mm
Latch	High security cut resistant Stainless Steel deadlatch
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	32-48mm 32-36mm require a spacer (included)
Finishes	Satin Stainless Steel (SSS)
Materials	304 Grade Stainless Steel
Keying	• Supplied individually keyed with two keys per lock • 78,000 key combinations • Key blank KB2015P

Standards and Compliance



The Paradigm Pull Handle latching Lockset has been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1: Fire Resistant Doorset for commercial applications.

SL7

(Security) Australian Lock Standard (AS4145.2 - 2008)

D8

(Durability) Australian Lock Standard (AS4145.2 - 2008)


C6

(Corrosion) Australian Lock Standard AS4145.2 - 2008

K5

(Key Security) Australian Lock Standard AS4145.2 - 2008


Paradigm® Pull Handle Lockset - Deadbolt



Exterior

Interior

Pull Handle Lockset



Exterior View

Side View

Interior View


-  **DualSelect®**
Turn the key for safety mode. Turn the key further to select secure mode.
-  **SafetyRelease™**
Minimises the risk of being locked in.
-  **Corrosion Resistant**
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.
-  **Kinetic Defence®**
Bump and pick resistant.

-  **Counterbalance Bolt**
Proportionally distributes the load between the door and door frame.
-  **2 Keys Included**
Can be keyed alike to other Lockwood door locks.
-  **Door Thickness**
32mm to 48mm.

-  **LockAlert®**
Interior Indicator shows lock status at a glance.
-  **Safety Mode**
Securely locked from outside and free from inside.
-  **Secure Mode**
Securely locked from both inside and outside. For when nobody is home.
-  **Passage Mode**
Free to enter from outside and free to exit from inside.

200 Series Levers and Functions

Levers and Knob to Suit



20*1


96

98


For lever images and dimensions, see page 15.

*1 Stainless Steel Only

Pull Handle to Suit





Plates



*3 Replace NN with NS when ordering with 3770 Series

*4 Recommended for sliding doors only

Plates and Functions Legend



FLUID Series Exit Device

FE100 Series Exit Device Single Point

Part Number Description

FE109/0HSIL	1 Point Rim Exit Device 900mm
FE112/0HSIL	1 Point Rim Exit Device 1200mm
FE109/1HSIL	1 Point Rim Exit Device Cylinder Dogging 900mm
FE112/1HSIL	1 Point Rim Exit Device Cylinder Dogging 1200mm

The FE Single Point Series is a one point locking device which provides for an escape function at all times by way of pushing a horizontal bar fitted to the door.

For single or double leaf doors.

To suit two standard widths 900mm & 1200mm doors.


Cylinder Dogging optional.

Note: Euro Profile Cylinder sold separately

For applications requiring an external trim, please order separately


FE5000*** Series Trim Kit

External nightlatch (cylinder only) available Dec 2017



224 Series Levers and Functions

Levers and Knob to Suit




For lever images and dimensions, see page 15.

Pull Handle to Suit




Plates



* Replace NN with NS when ordering with 3770 Series

Plates and Functions Legend



200/202 Series Ordering Procedure

When ordering 13, 14, 16 or 39 functions with 3770 series, specify "S" in cylinder type instead of "N".

Sample part number 20001NA/96LSS is made up of several sections. Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Type	Lever/Knob/ Pull Handle	Handing	Finish
200	01	N	A	96	L	SS
Plate Type						
Exterior Plate (162 x 162) - Square Corners 200						
Interior Plate (162 x 162) - Square Corners 201						
Exterior Plate (162 x 162) - Radius Corners 202						
Interior Plate (162 x 162) - Radius Corners 203						
Plate Function						
Plain Plate 07						
Pull Handle Only 24						
Plate Function - Handed						
Cylinder Only 00						
Cylinder & Lever 01						
Emergency Turn Only 02						
Emergency Turn & Lever 03						
Turnknob & Lever 04						
Lever Only 05						
Turnknob Only 06						
Cylinder & Fixed Lever 08						
Fixed Lever Only 09						
Dual Cylinder 10						
Privacy Indicating Emergency Turn Only 13						
Privacy Indicating Emergency Turn & Lever 14						
Privacy Indicating Turnknob & Lever 16						
Cylinder, Lever & LED 20						
Cylinder, Fixed Lever & LED 21						
Lever & LED 22						
Cylinder & LED 23						
Pull Handle & Cylinder 25						
Pull Handle & Emergency Turn 26						
Pull Handle & Turnknob 27						
Pull Handle & Privacy Indicating Emergency Turn 28						
Pull Handle & Dual Cylinder 30						
Flush Pull Only 31						
Flush Pull & Cylinder 32						
Flush Pull & Emergency Turn 33						
Flush Pull & Turnknob 34						
Flush Pull & Privacy Indicator Emergency Turn 35						
Flush Pull & Dual Cylinder 37						
Disabled Turnknob & Lever 39						
Pull Handle & Disabled Turnknob 42						
Engraving						
N						
Cylinder Type						
A						
Lever/Knob/ Pull Handle						
96						
Handing						
L						
Finish						
SS						
AS1428.1 Compliant Lever Types						
102	111	112				
115	116	118				
124	131	132				
133	142	144				
145	155	166				
47	59	70				
74	76	77				
90						
Non Compliant Lever/Knob Types						
101	104	106				
123	178	97				
20						
Handed Levers						
41	122	153				
Pull Handles						
P1	P1 ¹	75 ²				
Pull Handles - Horizontal						
HP1	HP1 ¹	H75 ²				
Handles are brass unless indicated otherwise						
¹ = Stainless Steel						
² = Aluminium						
³ = 316 Marine Grade						
** Lever 65 and 85 not available in PS or PB						
Handing						
Left Handed L						
Right Handed R						

*Refer to the end of this catalogue for detailed images of all decorative finishes from this section.

Brass Levers and Knobs

BRASS CORE


For use on the following door furniture series:

- 1220 Series
- 2800 Series
- 1420 Series
- 4800 Series
- 1360 Series
- 5800 Series
- 1370 Series
- Artefact Series
- 1800 Series

AS1428.1 Compliant Levers


Lever 102

Length 134.3mm
Projection 57.5mm



Lever 111

Length 130mm
Projection 48.5mm



Lever 112

Length 130.5mm
Projection 48mm

