


Push/Pull Door Handles



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*®



ASSA ABLOY

25 YEAR

MECHANICAL
WARRANTY

www.lockweb.com.au

Contents



184 Brass Furniture

Offset Pull Handle

page 4

185 Brass Furniture

Offset Pull Handle

page 5

214/215 Series

10mm Radius Corner Push/Pull Plates

page 6

216/217 Series

10mm Radius Corner Push/Pull Plates

page 8



218/219 Series

10mm Radius Corner Push/Pull Plates

page 10

206/207 P3 Handle

Square Corner Push/Pull Plates

page 13

208/209 P4

Square Corner Push/Pull Plates

page 16

Pull Handles

page 19



Entrance Handles

141

page 22

Entrance Handles

142

page 22

Entrance Handles

143

page 22

Entrance Handles

145

page 23

Contents



Entrance Handles

146

page 23



Entrance Handles

147

page 23



Entrance Handles

151

page 24



Entrance Handles

192

page 24



Entrance Handles

231

page 24



Paradigm®

Pull Handle Lockset
Deadbolt

page 26



Paradigm®

Pull Handle Lockset
Deadlatch

page 28



Paradigm®

Pull Handle Lockset
Dummy Handle

page 30



Finishes

page 34

184 Brass Furniture Offset Pull Handle



Made from brass and designed to compliment 1800 and 2800 Series Brass Plate Furniture, the 184 Offset Pull provides a fixed pull without impacting the cylinder/turn functionality or the design aesthetic of a plate furniture installation.

Application

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks using Lockwood 1800 or 2800 Series Brass Plate Furniture.

Recommended for Access Control doors with electric strikes.

Product Details

Dimensions	Length: 160mm Projection: 48mm Screw Centres: 147mm Finger Clearance: 44mm
Finishes	Satin Chrome Brushed (SC)
Fixing	The 184 Pull is designed with 147mm screw centres to enable it to be fixed through a standard visible fix brass plate (1900 or 2900). Plates are to be ordered separately to the 184 and care should be taken to ensure that a visible fix plate is specified for both sides of the door.
Screws	Supplied with M4 x 120mm x 2 screws

Standards and Compliance



Disabled Access - AS1428.1

185 Brass Furniture Offset Pull Handle



Made from brass and designed to compliment 4800 and 5800 Series Brass Plate Furniture, the 185 Offset Pull provides a fixed pull without impacting the cylinder/turn functionality or the design aesthetic of a plate furniture installation.

Application

Designed for use with Lockwood 3580 Synergy Series and 3780 Selector Series Mortice Locks using Lockwood 4800 or 5800 Series Brass Plate Furniture.

Recommended for Access Control doors with electric strikes.

Product Details

Dimensions	Length: 176mm Projection: 48mm Screw Centres: 159mm Finger Clearance: 44mm
Finishes	Satin Chrome Brushed (SC) Chrome Plate (CP)
Fixing	The 185 Pull is designed with 159mm screw centres to enable it to be fixed through a standard visible fix brass plate (4900 or 5900). Plates are to be ordered separately to the 185 and care should be taken to ensure that a visible fix plate is specified for both sides of the door.
Screws	Supplied with M4 x 120mm x 2 screws

Standards and Compliance



Disabled Access - AS1428.1

214/215 Series 10mm Radius Corner Push/Pull Plates



Application

The 214 Series Door Furniture is 300 x 100 x 2mm thick stainless steel or brass plates with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Product Details

Dimensions	Length: 300mm Width: 100mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm
Materials	Stainless steel or brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Finishes	Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB)

Standards and Compliance



Disabled Access - AS1428.1



Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.

214/215 Series 10mm Radius Corner Push/Pull Plates

D Handle Selections




Handle 17.5mm **P1** **P2** **P3** **P4**

Centres	108mm	152mm	203mm	250mm
---------	-------	-------	-------	-------


Function	Description	No Engraving	With Engraving
24	Pull Handle Only	P4	P3
25	Pull Handle and Cylinder	P2	P2
26	Pull Handle and Emergency Turn	P2	P2
27	Pull Handle and Turn Knob	P2	P2
28	Pull Handle and Privacy Indicator Emergency Turn	P2	P2
42	Pull Handle and Disabled Turn	P2	P1
44	Pull Handle Only – Offset from Bottom	P1 P2	x

Note: x indicates this function is not available in this configuration.

External Plates



Internal Plates



Legend

Cylinder Hole		Slotted Button		Indicating Slotted Button	
Turn-Snib		Disabled			

216/217 Series 10mm Radius Corner Push/Pull Plates



Application

The 216 Series Door Furniture is 300 x 65 x 2mm thick stainless steel or brass plate with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Product Details

Dimensions	Length: 300mm Width: 65mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Finishes	Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB)
Materials	Stainless steel or brass

Standards and Compliance



Disabled Access - AS1428.1

216/217 Series 10mm Radius Corner Push/Pull Plates

D Handle Selections




Handle 17.5mm **P1** **P2** **P3** **P4**

Centres	108mm	152mm	203mm	250mm
---------	-------	-------	-------	-------


Function	Description	No Engraving	With Engraving
24	Pull Handle Only	P4	P3
25	Pull Handle and Cylinder	P2	P2
26	Pull Handle and Emergency Turn	P2	P2
27	Pull Handle and Turn Knob	P2	P2
28	Pull Handle and Privacy Indicator Emergency Turn	P2	P2
42	Pull Handle and Disabled Turn	P2	P2
44	Pull Handle Only – Offset from Bottom	P1 P2	X

Note: x indicates this function is not available in this configuration.

External Plates



Internal Plates



Legend

Cylinder Hole		Slotted Button		Indicating Slotted Button	
Turn-Snib		Disabled			

218/219 Series 10mm Radius Corner Push/Pull Plates



Application

The 218 Series Door Furniture is 250 x 50 x 2mm thick stainless steel or brass with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Product Details

Dimensions	Length: 250mm Width: 50mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm
Materials	Stainless steel or brass
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Engraving	Options are available as indicated on the right.
Finishes	Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB)

Standards and Compliance



Disabled Access - AS1428.1

218/219 Series 10mm Radius Corner Push/Pull Plates

D Handle Selections




Handle 17.5mm **P1** **P2** **P3**

Centres 108mm 152mm 203mm


Function	Description	No Engraving	With Engraving
24	Pull Handle Only	P3	P2
25	Pull Handle and Cylinder	P1	P1
26	Pull Handle and Emergency Turn	P1	P1
27	Pull Handle and Turn Knob	P1	P1
28	Pull Handle and Privacy Indicator Emergency Turn	P1	P1
42	Pull Handle and Disabled Turn	P1	P1
44	Pull Handle Only – Offset from Bottom	P1 P2	X

Note: x indicates this function is not available in this configuration.

External Plates



Internal Plates



Legend

Cylinder Hole



Slotted Button



Indicating Slotted Button



Turn-Snib



Disabled



214/216/218 Series 10mm Radius Corner Push/Pull Plates

Ordering Procedure

Sample part number 21825NA/P2LSS is made up of several sections.

Choose your product by selecting an option from each section.

2000 Series

Plate Type	Plate Function	Engraving	Cylinder Shape	Handle	Handing	Finish
218	25	N	A	P2	—	SS
Plate Type						
Exterior Plate (300 x 100) —Radius Corners 214						
Interior Plate (300 x 100) —Radius Corners 215		A R				
Exterior Plate (300 x 65) —Radius Corners 216		B S				
Interior Plate (300 x 65) —Radius Corners 217		C T				
Exterior Plate (250 x 50) —Radius Corners 218		D U				
Interior Plate (250 x 50)— Radius Corners 219		E V				
Plate Function						
Cylinder Only 00		F W				
Emergency Turn Only 02		G X				
Turn Knob Only 06		H Y				
Plain Plate 07		N				
Privacy Indicator Emergency Turn Only 13		P*^~				
Pull Handle Only 24		Q*^~				
Pull Handle and Cylinder 25						
Pull Handle and Emergency Turn 26						
Pull Handle and Turn Knob 27						
Pull Handle and Privacy Indicator Emergency Turn 28						
Disabled Turn Only - Synergy 38						
Pull Handle and Disabled Turn Only - Synergy 42						
Pull handle only - offset from bottom 44						
Engraving						
A – G Outlined Infill R – X Full Infill						
Male Symbol	A R					
Male Text	B S					
Female Symbol	C T					
Female Text	D U					
Disabled Symbol	E V					
Push Text	F W					
Pull Text	G X					
Unisex Symbol	H Y					
No Option	N					
Miscellaneous Text	P*^~					
Corporate Image	Q*^~					
Cylinder Shape						
Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A						
No Cylinder Function	N					
Handle						
P1 P2 P3						
Handing						
Left Handed	L					
Right Handed	R					
Finish						
Stainless Steel Finishes						
Satin Stainless Steel	SS					
Polished Stainless Steel	PS					
Powdercoat	PC*					
316 Marine Grade	MG					
Brass Finishes						
Polished Brass	PB					
<small>* Note 2 - Not all handles are available with each function, please refer to the function chart for each specific series and function.</small>						
<small>* Note 1 - Powdercoat finish is not available with engraving options.</small>						

206/207 P3 Square Corner Push/Pull Plates



Application

The 206/207 Series Door Furniture are 2mm thick stainless steel plates with 2mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Product Details

Dimensions	Length: 250mm Width: 200mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Finishes	Satin Stainless Steel (SS) Powdercoat (PC)
Materials	Stainless steel

Standards and Compliance



Disabled Access - AS1428.1

206/207 P3 Square Corner Push/Pull Plates

D Handle Selection




Stainless Steel 17.5mm

P3

Centres

203mm


Plates



20600NA



20700NA




20607NN




20707NN




20624NN/P3



20724NN/P3



20625NA/P3



20725NA/P3

Legend

Cylinder Hole



206/207 P3 Square Corner Push/Pull Plates

Ordering Procedure

Sample part number 20625NA/P3LSS is made up of several sections.

Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Shape	Handle	Handing	Finish
206	25	N	A	P3	-	SS
Plate Type						
Exterior Plate (250 x 200) - Square Corners	206	A - G Outlined Infill R - X Full Infill				
Interior Plate (250 x 200) - Square Corners	207	Male Symbol	A R			
Plate Function						
Cylinder Only	00	Male Text	B S			
Plain Plate	07	Female Symbol	C T			
Pull Handle Only	24	Female Text	D U			
Pull Handle and Cylinder	25	Disabled Symbol	E V			
Pull Handle and Privacy Indicator Emergency Turn	28	Push Text	F W			
		Pull Text	G X			
		Unisex Symbol	H Y			
		No Option	N			
		Miscellaneous Text	P*^~			
		Corporate Image	Q*^~			
Engraving						
Cylinder Shape						
Handle						
Handing						
Finish						
Lever/ Knob Type						
Stainless Steel Pull Handle						
Finish						
Stainless Steel Finishes						
Satin Stainless Steel						
SS						
Powdercoat						
PC*						
316 Marine Grade						
MG						
* Note 1 - Powdercoat finish is not available with engraving options.						
^Line drawing of artwork in desired size must be specified on order.						
^Desired location of engraving measured from the top left corner of plate must be specified on order.						
~ Infill or Outline of engraving must be specified on order.						
Cylinder Shape						
Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders						
A						
No Cylinder Function						
N						

*Line drawing of artwork in desired size must be specified on order.

^Desired location of engraving measured from the top left corner of plate must be specified on order.

~ Infill or Outline of engraving must be specified on order.

208/209 P4 Square Corner Push/Pull Plates



Application

The 208/209 Series Door Furniture are 2mm thick stainless steel plates with 2mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Product Details

Dimensions	Length: 324mm Width: 162mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm
Materials	Stainless steel
Door Thickness	35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.
Finishes	Satin Stainless Steel (SS) Powdercoat (PC)


Standards and Compliance



Disabled Access - AS1428.1

208/209 P4 Square Corner Push/Pull Plates

D Handle Selections




Brass or Stainless Steel 17.5mm

P4

Centres

250mm

Plates



Legend

Cylinder Hole



208/209 P4 Square Corner Push/Pull Plates

Ordering Procedure

Sample part number 20825NA/P4LSS is made up of several sections.

Choose your product by selecting an option from each section.

Plate Type	Plate Function	Engraving	Cylinder Shape	Handle	Handing	Finish					
208	25	N	A	P4	-	SS					
Plate Type											
Exterior Plate (324 x 162) - Square Corners 208											
Interior Plate (324 x 162) - Square Corners 209											
Plate Function											
Cylinder Only	00	Engraving									
Plain Plate	07	A - G Outlined Infill R - X Full Infill									
Pull Handle Only	24	Male Symbol A R									
Pull Handle and Cylinder	25	Male Text B S									
Pull Handle and Privacy Indicator Emergency Turn	28	Female Symbol C T									
Cylinder Shape											
Oval Cylinder - 32mm (H) x 18mm (W) Lockwood 570 Cylinders A											
No Cylinder Function N											
Handle											
P4											
Handing											
- L											
Finish											
Stainless Steel Finishes											
Satin Stainless Steel SS											
Powdercoat PC*											
316 Marine Grade MG											
<small>*Note 1 - Powdercoat finish is not available with engraving options.</small>											

*Line drawing of artwork in desired size must be specified on order.

^Desired location of engraving measured from the top left corner of plate must be specified on order.

~ Infill or Outline of engraving must be specified on order.

Pull Handles



All pull handles are designed for single handle application and can be used with Lockwood Pull Plates and Roses.

Product Details

Materials	Brass and stainless steel
Fixing	Handles are concealed fixed. If ordered with Lockwood Pull Plates or Roses, handles are screw fixed to plates.
Screws	Individual pull handles are supplied with M5 x 65mm Pan Head Screws x 2

Standards and Compliance



Disabled Access - AS1428.1

Pull Handles

Pull Handles

Handle Number	Length	Diameter	Projection	Fixing Centres	Finger Clearance	Brass	304 Stainless Steel	Old Handle
P1	125	17.5	57	108	40	✓	✓	05, 16
P2	170	17.5	57	152	40	✓	✓	07, 17
P3	220	17.5	57	203	40	✓	✓	08, 18
P4	267	17.5	57	250	40	✓	✓	19
B2	170	17.5	60	152	43	✓	-	07, 17
B3	220	17.5	60	203	43	✓	-	08, 18
B4	267	17.5	60	250	43	✓	-	19

P Series handles comply with AS1428.1 when used on plates or fitted directly to a door.

B Series handles comply with AS1428.1 when used on brass roses, such as 1222.



Image for illustration only

Back to Back Pull Handle

Handle Number	Length	Diameter	Projection	Fixing Centres	Finger Clearance
P2/2SSS	171	19	60	152	41

Material -304 Grade Stainless Steel.



Brass 38 Elbow Pull Handle

Handle Number	Length	Diameter	Projection	Fixing Centres	Finger Clearance
38	248	16	Base: 54	152	38
			Top: 73		

Designed for single handle applications for hospitals, disabled and aged care facilities.

Material -solid brass.



Lockwood Entrance Handles



Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles range represents a comprehensive collection of high quality back to back handles.

Nine designs, ranging from classic to contemporary, have been selected to complement the evolving style requirements of both residential and commercial markets.

Packaging For Various Doors

Each Lockwood Entrance Handle comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Application

Lockwood Entrance Handles are suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors

Product Details

Dimensions Refer to next couple of pages for product dimensions.

Materials Stainless Steel Construction: Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments.


Finishes Satin Stainless Steel (SSS)
Matt Black (MBK)*
Powder Coated (PC)*

* Available on selected models. Refer to page 27 for further details.

Standards and Compliance



Disabled Access - AS1428.1



Entrance Handles

141 Series

Dimensions


	A	B1	B2	C	D	E
141x300SSS	300mm	22mm	40mm	45mm	450mm	25mm
141x450SSS	450mm	22mm	40mm	45mm	600mm	25mm
141x600SSS	600mm	22mm	40mm	45mm	750mm	25mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole

 Disabled Accessible AS1428.1



142

Dimensions


	A	B	C	D	E
142x300SSS	300mm	32mm	45mm	450mm	25mm
142x450SSS	450mm	32mm	45mm	600mm	25mm
142x600SSS	600mm	32mm	45mm	750mm	25mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole

 Disabled Accessible AS1428.1



143

Dimensions


	A	B1	B2	C	D
143x300SSS	300mm	30mm	15mm	35mm	315mm
143x450SSS	450mm	30mm	15mm	35mm	465mm
143x600SSS	600mm	30mm	15mm	35mm	615mm

Fixing

Timber 2 x 62mm M6 Bolts - 8.5mm hole

Glass 2 x 32mm M6 Bolts - 13mm hole

 Disabled Accessible AS1428.1



Entrance Handles

145

Dimensions



	A	B	C	D	E
145x225SSS	225mm	25mm	45mm	300mm	19mm
145x375SSS	375mm	25mm	45mm	450mm	19mm
145x525SSS	525mm	25mm	45mm	600mm	19mm

Fixing

Timber 2 x 70mm M8 Bolts - 8.5mm hole

Glass 2 x 30mm M8 Bolts - 13mm hole

 Disabled Accessible AS1428.1



145X525SSS

146

Dimensions



	A	B	C	D	E	F
146x450SSS	450mm	25mm	60mm	475mm	60mm	25mm
146x600SSS	600mm	25mm	60mm	625mm	60mm	25mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole

 Disabled Accessible AS1428.1



146X600SSS

147

Dimensions


	A	B	C	D	E
147x450SSS	450mm	19mm	45mm	600mm	19mm

Fixing

Timber 2 x 62mm M8 Bolts - 8.5mm hole

Glass 2 x 32mm M8 Bolts - 13mm hole

 Disabled Accessible AS1428.1



147X450SSS

Entrance Handles

151


Dimensions

	A	B	C	D	E
151x300SSS	300mm	32mm	80mm	332mm	200mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



151X300SSS

192


Dimensions

	A	B	C	D
192x450SSS	450mm	32mm	85mm	482mm
192x600SSS	600mm	32mm	85mm	632mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



192X600SSS

231


Dimensions

	A	B	C	D	E
231x300SSS	300mm	32mm	85mm	332mm	140mm

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



231X300SSS

Entrance Handles

Ordering Procedure

Sample part number 141X300SSS is made up of several sections.
Choose your product by selecting an option from each section.

Design	Centre to Centre
141	X 300

Finish
SSS

Design
141 Style
142 Style
143 Style
145 Style
146 Style
147 Style
151 Style
192 Style
231 Style

Centre to Centre
300mm Centres 300
141, 142, 143, 151, 231
450mm Centres 450
141, 142, 143, 146, 147, 192
600mm Centres 600
141, 142, 143, 146, 192
225mm Centres (145 Style Only) 225
375mm Centres (145 Style Only) 375
525mm Centres (145 Style Only) 525

Finish
Satin Stainless Steel SSS

Design
141 Style
143 Style

Centre to Centre
600mm Centres 600
141, 143,

Finish
Matt Black MBK
Powdercoated PC

Paradigm® Pull Handle Lockset - Deadbolt



The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security.

Suitable for residential, new building and renovation market applications.

The Pull Handle lockset incorporates innovative safety features from the Paradigm 005 Deadbolt and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- Three function modes with DualSelect® provides combination of convenience and security
- High security cut resistant stainless steel bolt
- Brushed 304 Grade Stainless Steel Pull Handles
- Concealed screw fixings gives a neat and clean appearance
- Safety Release™ automatically unlocks internal knob upon key entry from outside
- LockAlert® indicator shows lock status at a glance

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Dimensions	External handle length - 600mm Internal handle length - 500mm Handle width - 30mm
Backset	60mm-70mm adjustable
Bolt	High security cut resistant
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	32 - 46mm 32-36mm doors require a spacer (Included)
Finishes	Satin Stainless Steel (SSS)
Materials	304 Grade Stainless Steel
Strike	Box strike with concealed crossgrain door frame strengthening screw
Magnets	Door Magnets included to hold the door(s) in position when in passage mode (free to enter from outside and free to exit from inside)
Keying	<ul style="list-style-type: none">• Supplied individually keyed with two keys per lock• 78,000 key combinations• Key blank KB2015P

Standards and Compliance

SL8	(Security) Australian Lock Standard (AS4145.2 - 2008)
D8	(Durability) Australian Lock Standard (AS4145.2 - 2008)
C6	(Corrosion) Australian Lock Standard AS4145.2 - 2008
K5	(Key Security) Australian Lock Standard AS4145.2 - 2008


Paradigm® Pull Handle Lockset - Deadbolt



Exterior

Interior

Pull Handle Lockset



Exterior View

Side View

Interior View



DualSelect®
Turn the key for safety mode. Turn the key further to select secure mode.



SafetyRelease™
Minimises the risk of being locked in.



Corrosion Resistant
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Kinetic Defence®
Bump and pick resistant.



Counterbalance Bolt
Proportionally distributes the load between the door and door frame.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Door Thickness
32mm to 46mm.



LockAlert®
Interior Indicator shows lock status at a glance.



Safety Mode
Securely locked from outside and free from inside.



Secure Mode
Securely locked from both inside and outside. For when nobody is home.



Passage Mode
Free to enter from outside and free to exit from inside.

Paradigm® Pull Handle Lockset - Deadlatch

Interior View - Single Cylinder Shown

The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Pull Handle latching lockset is available in single and double cylinder variants.

Both variants are specifically designed for semi-commercial and apartment building applications. The locksets have been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1:Fire Resistant Doorset.

The Pull Handle lockset applies the innovative safety features from the Paradigm 005 Deadbolt into a latching lockset and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- High security cut resistant Stainless Steel latch
- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance
- Safety Release™ automatically unlocks internal knob upon key entry from outside*
- LockAlert® indicator shows lock status at a glance*

*Only available in double cylinder variant

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

Dimensions	External handle length - 600mm Internal handle length - 500mm Handle width - 30mm
Backset	60mm
Latch	High security cut resistant Stainless Steel deadlatch
Cylinder	5 pin tumbler mechanism Brass cylinder and brass barrel
Door Thickness	32-46mm 32-36mm require a spacer (included)
Finishes	Satin Stainless Steel (SSS)
Materials	304 Grade Stainless Steel
Keying	<ul style="list-style-type: none">• Supplied individually keyed with two keys per lock• 78,000 key combinations• Key blank KB2015P


Standards and Compliance

	The Paradigm Pull Handle latching Lockset has been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1: Fire Resistant Doorset for commercial applications.
SL7	(Security) Australian Lock Standard (AS4145.2 - 2008)
D8	(Durability) Australian Lock Standard (AS4145.2 - 2008)
C6	(Corrosion) Australian Lock Standard AS4145.2 - 2008)
K5	(Key Security) Australian Lock Standard AS4145.2 - 2008)

Paradigm® Pull Handle Lockset - Deadlatch



Pull Handle Lockset



Exterior Interior Double Cylinder Interior Single Cylinder



SafetyRelease™*
Minimises the risk of being locked in.



Door Thickness
32mm to 46mm.



LockAlert®*
Interior Indicator shows lock status at a glance.



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Safety Mode
Securely locked from outside and free from inside.



Corrosion Resistant
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Secure Mode*
Securely locked from both inside and outside. For when nobody is home.

* Not available for Single Cylinder variant

Paradigm® Pull Handle Lockset - Dummy Handle



Interior View - Double Cylinder Lockset
with Dummy Handle Shown

The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Dummy Handle is designed to be used along side the Paradigm Pull Handle lockset in double door applications.

Manufactured with high end 304 grade Stainless Steel that comes in a brushed satin finish, the Paradigm Dummy Handle provides premium quality with contemporary styling for modern double door entrances.

Key Features

- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance

Product Details

Dimensions	External handle length - 600mm Internal handle length - 500mm Handle width - 30mm
Door Thickness	32-46mm
Finishes	Satin Stainless Steel (SSS)
Materials	304 Grade Stainless Steel

Paradigm® Pull Handle Lockset - Dummy Handle




Exterior


Interior

Dummy Handle

(Non-functioning) for double door application.




Exterior View



Door Thickness

Side View



Interior View



Corrosion Resistant

Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Door Thickness

32mm to 46mm.

Paradigm® Pull Handle Locksets

Ordering Procedure

Sample part number 005/DPHBSSS5PK is made up of several sections. Choose your product by selecting an option from each section.

Paradigm® Pull Handle Locksets

Series	Type	Finish	Keying	
005	DPHL	SSS	5PK	
Series	Type	Finish	Keying Options	
Paradigm® Pull Handle	005	Satin Stainless Steel	SSS	
Double Cylinder Deadbolt	DPHB		Keyed to Differ (Standard)	
Double Cylinder Deadlatch	DPHL		Special Keying-Residential	
Single Cylinder Deadlatch	SPHL		Keyed Alike 5P	5KA
Dummy Handle	PHD		Keyed Alike 6P	6KA
			Project Keyed 5P	5PK
			Project Keyed 6P	6PK
			Restricted Profile 5P	5RP

When it comes to safety it's primal, it's our survival, a basic human need. We want freedom to live, explore and rest without fear. To leave behind in safety our precious, cherished and most valuable things. And to come back to them exactly as we left them.

For as long as we have valuables, we will always need protection. Though the need for our products is driven by concerns, the Belief in our Brand is propelled by confidence. An unquestioned confidence in our ability to protect what is most important to you.

Our products provide peace of mind through strength, substance and style. Our reputation is forged in traditions, supreme workmanship, uncompromised values and above all our people. We are a trusted, tireless and vigilant guardian that protects families, households, trades and businesses.

Because if feeling safe is a basic human need, knowing you're safe is why Lockwood exists. For over 75 years, our guiding principle is and will always be: To take the worry out of protecting what is valuable to you.

Lockwood: *no worries*[®]

Metal Finishes

For Metal Finish sample refer to code under each image.




Antique Copper (AC)
Sample Code: FIN-SAMPLEAC*



Architectural Bronze Unlacquered (AU)
Sample Code: FIN-SAMPLEAU*



Oil Rubbed Bronze (ORB)
Sample Code: FIN-SAMPLEORB*



Aged Brass (AG)
Sample Code: FIN-SAMPLEAG*



Architectural Bronze (AZ)
Sample Code: FIN-SAMPLEAZ**



Polished Brass (PB)
Sample Code: FIN-SAMPLEPB**



Satin Brass (SB)
Sample Code: FIN-SAMPLESB**



Polished Brass Unlacquered (BU)
Sample Code: FIN-SAMPLEBU*



Satin Brass Unlacquered (SBU)
Sample Code: FIN-SAMPLESBU*



Satin Chrome Plating (SC)
Sample Code: FIN-SAMPLESC



Chrome Plating (CP)
Sample Code: FIN-SAMPLECP



Stainless Steel (SS)
Sample Code: FIN-SAMPLESS



Polished Stainless Steel (PS)
Sample Code: FIN-SAMPLEPS



Natural Anodized Aluminium (NT)
Sample Code: FIN-SAMPLENT

NOTE: Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative.


**Finish is protected by a top clear lacquer.

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:


FIN-SAMPLEPC specify the desired color from the images below when placing order.




Dulux Duratec Eternity
Eternity Charcoal Pearl
Satin




Dulux Electro
Black Ace
Flat



Dulux Electro
Dark Bronze
Flat



Dulux Electro
Medium Bronze
Flat



Dulux Precious
Charcoal Metallic Pearl
Gloss



Dulux Precious
Citi Pearl
Matt



Dulux Precious
Natural Pearl
Matt



Dulux Precious
Nickel Pearl
Matt




Dulux Precious
Sharp Silver Kinetic® Pearl
Satin




Dulux Precious
Silver Kinetic® Pearl
Satin



Dulux Surreal Effects Mannex
Mannex Black
Effect




Dulux Surreal Effects Scylla
Red Brown Scylla
Effect



Dulux Duralloy
Shoji White
Satin



Dulux Alphatec
White
Matt



Dulux Duralloy
White
Satin



Dulux Duralloy
Black
Gloss



Dulux Duralloy
Monument®
Satin

CB



Dulux Duralloy
Black (C/B Night Sky®)
Satin

CB



Dulux Duralloy
Dune®
Satin



Dulux Duralloy
Woodland Grey®
Satin

CB



Dulux Duralloy
Jasper®
Satin

CB



Dulux Duralloy
Monument®
Matt

CB



Dulux Duralloy
Deep Ocean®
Satin

CB



Dulux Duralloy
Woodland Grey®
Matt



Dulux Duralloy
APO Grey
Satin

CB

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY




Lockwood Product Catalogue | Push/Pull Door Handles
1300 LOCK UP (1300 562 587) lockweb.com.au

Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:


FIN-SAMPLEPC specify the desired color from the images below when placing order.



Dulux Duralloy
Surfmist®
Matt




Dulux Duralloy
Anotec® Off White
Matt



Dulux Duralloy
Anotec® Mid Bronze
Matt



Dulux Duralloy
Dune®
Matt



Dulux Duralloy
Anotec® Dark Grey
Matt



Dulux Duralloy
White Birch
Gloss



Dulux Duralloy
Stone Beige
Matt



Dulux Duralloy
Notre Dame
Gloss



Dulux Duralloy
Pale Eucalypt®
Satin



Dulux Duralloy
Magnolia
Gloss



Dulux Duralloy
Doeskin
Satin



Dulux Duralloy
Paperbark®
Satin




Dulux Duralloy
Classic Hawthorn Green
Gloss




Dulux Duralloy
Primrose
Gloss



Dulux Duralloy
Black (C/B Night Sky®)
Matt




Dulux Duralloy
Pearl White
Gloss



Dulux Duralloy
Bright White
Gloss



Dulux Precious
Mahogany Gloss Pearl
Gloss



Dulux Surreal Effects
Black Gold
Gloss



Dulux Duralloy
Charcoal Lustre
Matt




Dulux Alphatec
Ranch Brown
Satin



Dulux Duralloy
Coffee
Satin



Dulux Duralloy
Pottery
Satin



Dulux Duralloy
White Lustre
Matt

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfmist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Decorative Finishes Per Series

Powdercoat Finishes

Rose Door Handles: Robert Watson, 1220, 1420, 1360, 1370, 260, 260SQ

Plate Door Handles: 1800, 2800, 4800, 5800, 200, 202, 212, 224

Push/Pull Plates: 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185

Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series.

Refer to the series catalogue for specific detailed information.

Reference Table

	Brass Series Rose Door Handles 1220, 1420, 1360, 1370	Brass Series Plate Door Handles 1800, 2800, 4800, 5800	Artefact Series Rose Door Handles 260	Artefact Series Rose Door Handles 260SQ	Artefact Series Plate Door Handles 200, 202,	Artefact Series Plate Door Handles 212, 224	Push/Pull Plate Series 184, 185	Push/Pull Plate Series 214/215, 216/217, 218/219	Push/Pull Plate Series 206/207, 208/209
Antique Copper (AC)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Architectural Bronze Unlacquered (AU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Oil Rubbed Bronze (ORB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Aged Brass (AG)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Architectural Bronze (AZ)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Polished Brass (PB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Brass (SB)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Polished Brass Unlacquered (BU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Brass Unlacquered (SBU)	✓	✓	✓	✗	✓	✗	✓	✓	✗
Satin Chrome Plating (SC)	✓	✓	✗	✗	✗	✗	✓	✗	✗
Chrome Plating (CP)	✓	✓	✗	✗	✗	✗	✓	✗	✗
Stainless Steel (SS)	✗	✗	✓	✓	✓	✓	✗	✓	✓
Polished Stainless Steel (PS)	✗	✗	✓	✗	✓	✓	✗	✓	✓
Marine Grade Stainless Steel (MG)	✗	✗	✓	✗	✓	✓	✗	✓	✓
Natural Anodised Aluminium (NT)	✗	✗	✓	✗	✓	✓	✗	✗	✗

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY



ASSA ABLOY

Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2020 copyright by ASSA ABLOY All rights reserved

